Life is better with Bosch

Fall/Winter 2007 home appliances full product line

BOSCH
Invented for life

From the beginning, Bosch has been committed to making your life better through innovating new technologies, upholding the highest standards of quality craftsmanship, and employing sustainable business practices and the highest respect for the environment. Principles that guide Bosch in its every endeavor.

In our efforts to do everything possible to protect our planet's fragile environment, we have developed dishwashers that use less water. Laundry systems that reduce energy usage by up to 72% and water usage by up to 76% compared to conventional models. And all the while offering state-of-the-art features and unrivalled functionality that make your life better and more convenient.

Today, Bosch operates in almost 50 countries on every continent through subsidiaries and associated companies. All around the world, the Bosch name stands for innovation, quality and product diversity. Our dedication to these causes is obvious in our products, which have been recognized by a leading consumer publication, and backed by The *Good Housekeeping* Seal. Just further evidence that Bosch is committed to quality, innovation and customer satisfaction, and that our premium appliances are the ideal choice for your family.

A tradition of **commitment.**

Dishwashers Page 02
Integra® Dishwashers Page 20
Evolution™ Dishwashers Page 22
Cooking Page 24
Ovens, Warming Drawers & Microwaves Page 26
Benvenuto® Built-In Coffee Machines Page 36
Cooktops Page 38
Ventilation Page 50
Evolution and Integra™ Ranges & OTR Page 56
Refrigeration Page 74
Integra Refrigeration Page 76
Evolution Refrigeration Page 84
Laundry Page 90
Ne**xx**t® Laundry System Page 92
A**xx**is® Laundry Systems Page 108
Small Appliances Page 114
Dimensions and Installation Page 116

Can a dishwasher make your house a **better** place to live?

Model shown: Integra® 800 Series (SHX98M09UC)

Absolutely, if it’s a Bosch. Bosch dishwashers are the only ones to offer the unique combination of nearly silent operation, powerful features that leave dishes sparkling, intelligent functions that work around your lifestyle and an efficient operation that saves both water and electricity. All wrapped in a contemporary design that’s as beautiful as it is functional. **Invented for life.**

Silence is Golden
Bosch dishwashers are the quietest manufactured in the U.S., with a silence rating as low as 42 dBA.

Model shown: Integra® 800 Series (SHX98M05UC)

The new sound of **silence.**

Bosch dishwashers are the quietest. When in action, it's the noise factor, or rather the lack of it, that'll draw your attention. Our dishwashers are the strong, silent type. They outperform your expectations and the competition–constantly earning top rankings from leading consumer publications and test labs worldwide. With a suspended two-pump motor system, vibrations and noise are drastically reduced. And with heavy-duty bitumen coated metal and cotton-fiber sheet insulation, the noise is basically buried. Bosch's dishwashers are as discreet as they are powerful.

Two-Pump Motor System
By using two small pumps to individually wash and drain instead of a single large one, vibration and noise are dramatically reduced. Smaller parts and a more contained motion contribute an important part to our sound-reduction system, leaving you amazed that the dishwasher is even on.



Suspension Motor
The more isolated a motor is, the less its vibrations can be transferred. So we've suspended our two-pump motor to help absorb and minimize any vibration and noise to the housing, as it is absorbed by rubber hammocks, letting you enjoy your time in the kitchen whether the dishwasher is running or not.



Solid Molded Base
Preventing noise and leaks are what makes a good dishwasher a great one. That's why we're the only U.S. manufacturer to give all of our dishwashers a solid molded base. The single-piece base effectively contains sound, and prevents leaks by automatically shutting down if water is detected in the base.

Insulation*
Noise is also buried beneath the three layers of insulation inside our near-silent dishwashers. Metal, cotton fiber and heavy-duty bitumen sheets capture and dampen sound to create a decibel level no louder than raindrops.

**Insulation package varies by model.*

INFOLIGHT™
Our top models are so quiet, you may not even know they're on. That's why we designed a light that beams onto the floor when it's running.

Cleaning **efficiency** meets energy efficiency.

Cleaning with a conscience. That's what Bosch dishwashers do. They are the most efficient line of dishwashers assembled in the United States thanks to features like the advanced **ECO**SENSE™ Wash Management System that measures soil level and adapts water consumption and heat as needed. Also, the cavities of our dishwashers are made of stainless steel, which, besides looking very sleek, makes drying more efficient. Your dishes benefit from it, and so does the environment. Select models even feature a Half Load wash option to further reduce energy and water waste. And Bosch is the only manufacturer whose entire line of dishwashers exceeds the more stringent 2007 ENERGY STAR® requirements.

ECOSENSE

An advanced sensor system determines the soil level in the wash water and automatically deletes fresh water fills if they're not needed, saving you time and money while cutting energy usage by 20%.

ECOACTION™

This cutting-edge feature adjusts water temperature and cycle length for optimal efficiency, allowing you to reduce energy usage by up to 25% with just the push of a button.



Flow Through Water Heater

In conventional dishwashers, water falls randomly onto an exposed heating element. And since not all the water touches the heating element, this results in slower and less energy-efficient heating. Bosch dishwashers, on the other hand, channel 100% of the water through tighter coils in a confined heating chamber, which heats the water quickly and efficiently up to 161 degrees Fahrenheit.

Condensation Drying

Built with a solid stainless steel tub, Bosch dishwashers utilize condensation drying to save you money on your energy bills. Condensation drying works by heating the dishes with hot water from the final rinse. Moisture condenses on the cool stainless steel tub and is drained, so your clean dishes dry without an energy-wasting active drying element.

SH_98M - Most Efficient Dishwasher in the Nation.



All Bosch dishwashers exceed ENERGY STAR® requirements.

ENERGY STAR® Qualified and NSF Certified

Proving once again that Bosch is committed to efficiency, all of our dishwashers are ENERGY STAR® qualified. They are also the most efficient dishwashers manufactured in the U.S., at 190 kWh.

Model shown: Evolution™ 800 Series (SHE68M05UC)

Model shown: Integra® 18" Dishwasher (SRV53C03UC with custom panel)

Safety always comes first.

You expect a lot from your kitchen appliances. State-of-the-art performance. Contemporary design. But performance and design mean nothing without safety. That's why Bosch appliances are engineered with a host of exclusive features from child locks to leak protection devices to ensure the safety of yourself and your family. When you choose Bosch, you can rely on years of worry-free operation, and that's something that delivers valuable peace of mind.

Bosch Integra® and Evolution™ Dishwashers are backed by The *Good Housekeeping* Seal — a two-year limited warranty.

AQUASTOP® **Leak Protection**

Bosch is the only U.S. manufacturer to offer a high-tech leak protection system like **AQUA**STOP in their whole line of dishwashers. A precisely engineered tub and sensor system detects leaks in the solid molded base of the dishwasher, shuts down operation and automatically pumps out water before contact with floors. This eliminates the risk of costly water and mold damage.

CHILDLOCK

Bosch offers two types of child locks for your children's safety and your peace of mind. The latch lock, once activated, prevents children from opening the dishwasher door while the control lock prevents changes to the wash program.

PERFECTDOOR™ **with AUTO**CLOSE™

Falling dishwasher doors are a thing of the past. Bosch specially engineered **PERFECT**DOOR to stay in a fixed position when it is open more than 10 degrees. This increases safety by eliminating the possibility of the door dropping open or springing closed suddenly.

No Exposed Heating Element

Because our Flow Through Water Heater is not located in the tub and has no exposed heating element, it prevents plastic items on the bottom rack from melting. It has the added benefit of protecting you from accidental burns during unloading.

Performance, as in superior.

A dishwasher needs to get your dishes clean. Really clean. Bosch dishwashers are engineered to perform at the highest levels, to spotlessly remove even the toughest soiling. Think baked-on spinach. At the same time, smart technologies ensure that Bosch power is directed in a way that smartly manages energy and water consumption, while protecting delicate items, preserving their brilliant shine wash after wash, year after year.

ECOSENSE™ Wash Management System, standard on all models, uses an advanced sensor system to assess the level of soil in the wash water. It then determines whether more fresh water fills are necessary, deleting the cycle when appropriate. This saves time and money while cutting energy usage by up to 20%. To save even more, variable spray pressure adjusts the amount of water so that it's not heated unnecessarily.

Select Bosch dishwashers feature a load sensor that automatically measures the number and type of dishes in each load, adjusting water temperature and cycle time to achieve perfect results while minimizing water and energy usage.

Auto Super Wash
Simply select the Auto Super Wash program, and the dishwasher analyzes the soil level of your dishes and adjusts the wash temperature to between 130 and 150 degrees. Analyzing the clarity of the wash water, the sensor system also determines whether or not a second fresh water cycle is needed, ensuring your dishes get clean while avoiding unnecessary refills to conserve water.

Auto Delicate Wash
This automated wash setting is for use with your fragile china, allowing you to get it perfectly clean without the hassle of hand washing, or the worry of damaging it in the dishwasher. This setting is delicate on your dishes, keeping them in perfect condition, and ready for your next special occasion.

QUICKWASH
Our fastest cycle yet, this feature allows you to wash fourteen place settings in just 30 minutes. It's perfect for times when you need to wash a lightly soiled load quickly.

Extreme Wash
Our toughest cycle, the Extreme Wash was designed to wash away even hard-to-remove food. It adjusts the amount of water and increases the wash and rinse temperature to thoroughly clean and sanitize your dishes.

Optional Half Load Wash
Use this option when washing small, lightly soiled loads that fill half or less of the dishwasher's capacity on both the top and bottom racks. It dramatically reduces energy and water consumption, and can be used with the Power Scrub Plus, Regular and Auto Wash cycles.

Models shown: Integra® 800 Series (SHX55M05UC) left, Integra 18" Dishwasher (SRV53C03UC with SRZ2045UC stainless steel door assessory kit) right

Automation. It could not be simpler.

At Bosch, our commitment is to enhance your quality of life by making your household chores as simple and hands-off as they can be. So it is only appropriate that we would be leading the way in making dishwashers fully automatic. One touch is all it takes for our top-of-the-line models to automatically sense the level of soiling, the size of your load and the cleaning progress made throughout the wash process. They analyze the results, then continuously adjust water temperature, duration of the wash cycle and even the amount of water needed.

Load Size Sensor
Select Bosch dishwashers offer a load sensing system that automatically determines the number of dishes in each load, adjusting water temperature and cycle time to achieve optimal results while minimizing water and energy usage.

Variable Spray Pressure
This feature adjusts water pressure based on the cycle you select. Lower, gentler pressure is used for Auto Delicate or Glass Care cycles, while high pressure is used for modes such as Auto Super Wash, Auto Plus and Extreme Wash.

Optional Delay Start
With a nineteen or twenty four-hour timer, Bosch dishwashers work on your schedule. Program them to start once guests leave or after you've drifted off to sleep. Wait until you're out of the house, or run it in off-peak evening hours for even greater savings on your energy bill.

OPTIDRY®
Multiple sensors automatically detect the presence of a rinse agent and measure its level in the dispenser, automatically adjusting the final temperature and wash cycle for spotless drying results with each wash.

Model shown: Integra® 800 Series (SHX98M09UC)

Convenience is of the essence.

Everything has been thought of when it comes to Bosch dishwashers. Like having an adjustable top rack that allows you to safely put tall stemware in without having to lay them flat. With our **TALL**TUB, we've created more interior room, maximizing use of space, so dinner plates can be placed in both top and bottom racks. And should you want to make your dishwasher invisible, you can outfit it with a custom panel that matches the neighboring cabinets. Integrated controls on the upper door rim also allow you to seamlessly blend your dishwasher with your cabinetry, to give you an uninterrupted kitchen design.

18" Dishwasher
The 18" Integra Dishwasher opens up an entire new world of possibilities. This design lets you enjoy state-of-the-art Bosch dishwashing technology virtually anywhere: small urban kitchens, mini bars, or even as an extra unit in your full-sized kitchen. And every 18" Integra® complies with ADA (American Disabilities Act) European countertop height guidelines.

Platinum Premium Racks
High-quality racks are coated with platinum nylon to protect your delicate dishware. And for optimal space efficiency, eight rows of flip-down tines allow for customized layout and a 25% larger silverware basket holds up to 6 place settings.



Extra Capacity
More capacity means more convenience. So Bosch dishwashers have extra-large interior space, allowing you to fit 14 place settings rather than the industry standard of 12.

RACKMATIC®
To accommodate large or oddly shaped dishes, **RACK**MATIC allows you to raise or lower the premium upper rack at the touch of a lever (even when full), giving you up to 14" of space on the bottom or 10" on top.

Extra Tall Item Sprinkler
Hand washing large items becomes a thing of the past thanks to this handy innovation. Simply remove the top rack and place your serving platters, baking trays, hood filters and refrigerator shelves that are up to 22" high in the bottom rack. Start the machine, and the sprinkler evenly distributes water across every large item, for sparkling-clean results every time.

Stainless Steel TALLTUB
The specially engineered Bosch **TALL**TUB is not only space efficient, but energy efficient. Allowing up to an incredible 22" of usable space when you remove the top rack, its high-quality stainless steel construction retains heat better than plastic tubs, which helps dry dishes faster and more efficiently.

CLEARTOUCH®
With this exclusive design, all cycles are readily accessible through a smooth, flush control panel that is as easy to clean as it is to operate.

Models shown: Integra® 18" Dishwasher (SRV53C03UC with SRZ2045UC stainless steel door accessory kit), left and right

Accessories to fit your lifestyle.

Even when it comes to doing the dishes, everyone has different needs. So we offer accessories for every lifestyle. From a convenient removable wine glass rack to free you from the chore of hand washing extra wine glasses, to dishwasher door frames, door-frame kits and handles that help you perfectly coordinate your dishwasher with your kitchen. We've thought of your every need.

SGZ1000UC

SGZ2004UC

SGZ3003

SRZ2045UC

Extra-Large Knife Rack
By loading long-handled items horizontally, you prevent chipping and scratching, while keeping knives in a safer position, out of unwanted reach.

Glass Rack Insert
The extra space of the glass rack insert allows you to load additional stemware or drinking glasses, saving the upper rack for a more efficient configuration of dishes. (Can only be used in the Premium and Mid lower racks.)

Anti-Tarnish Silverware Cassette
This specially designed cassette provides the best wash results and protection for your fine silverware.

Stainless Steel Door
This high-quality stainless steel door provides an attractive and contemporary finish for the Integra® 18" model (SRV53C03UC).

Colors that coordinate.

Integra® Colors

Stainless Steel

Black

White

Titanium

Fully Integrated

Evolution™ Colors

Stainless Steel

Black

White

SGZ1005UC (Optional door handle polished and round)



SGZ1006UC (Optional door handle flat and matte)

Additional Accessories	Model Number
Extra-Large Knife Rack	SGZ1000UC
Stainless Steel Door with Stainless Steel Handle (SHV series only) Handle Matches Discontinued HBL/N 600 Series Ovens	SGZ1005UC
Stainless Steel Door with Stainless Steel Handle (SHV series only) Handle Matches HBL/N 500 & 800 Series Ovens	SGZ1006UC
Stainless Steel Handle (SHV series only) Matches HBL/N 500 & 800 Series Ovens	SGZ1007UC
Glass Rack Insert for Bottom Racks (max. height 13.5") Can be used in Premium and Mid Lower Racks only	SGZ2004UC
Stainless Steel Door Accessory (SRV series only) With Accessory Hinge Kit	SRZ2045UC
Stainless Steel Door Accessory (SGV series only)	SGZ2055UC
Anti-Tarnish Silverware Cassette	SGZ3003
Accessory Hinge Kit (SRV series only) For US Counter Height Installation	SGZ3022

Dishwasher Warranty: 1 year parts and labor, 2 years parts, 5 years on all electronic components (parts only), 5 years on racks (parts only), lifetime warranty against rust-through on tub. Certain limitations apply. See manufacturer's limited warranty for details.

Dishwashers

Integra®

	800 Series	**500** Series	**300** Series
	Model Number SHX98M	Model Number SHX55M	Model Number SHX43M
	Model Number SHX68M	Model Number SHX45M	Model Number SHX33M
Silence Rating	42–45 dBA	48–51 dBA	54–57 dBA
Efficiency	190–234 kWh/yr	259 kWh/yr	259 kWh/yr
Safety	**AQUA**STOP®	**AQUA**STOP	**AQUA**STOP
Racks	Premium	Mid	Standard
Wash Cycles	6–9	4–5	3–4

Evolution™

	800 Series	**500** Series	**300** Series
	Model Number SHE98M	Model Number SHE55M	Model Number SHE43M
	Model Number SHE68M	Model Number SHE45M	Model Number SHE33M
Silence Rating	42–45 dBA	48–51 dBA	54–57 dBA
Efficiency	190–234 kWh/yr	259 kWh/yr	259 kWh/yr
Safety	**AQUA**STOP	**AQUA**STOP	**AQUA**STOP
Racks	Premium	Mid	Standard
Wash Cycles	6–9	4–5	3–4

LEARN MORE AT energystar.gov

Integra®
Specifications

Model Number	**800 Series** SHX98M0xUC SHV98M03UC (Fully Integrated)	**800 Series** SHX68M0xUC SHV68M03UC (Fully Integrated)	**500 Series** SHX55M0xUC	**500 Series** SHX45M0xUC SHV45M03UC (Fully Integrated)	**300 Series** SHX43M0xUC	**300 Series** SHX33M0xUC	**Special Application** SRV53C03UC (18") (Fully Integrated)	**Special Application** SGV45E03UC (Fully Integrated)
Core Features								
Color Options	SS w/Display/SS/FI	SS w/Display/SS/B/W/FI	SS/B/W	SS/B/W/FI/Titanium	SS/B/W	SS/B/W	FI	SS/FI
Stainless Steel **TALL**TUB	•	•	•	•	•	•	•	
Two-Pump Motor System	•	•	•	•	•	•	•	•
Suspension Motor	•	•	•	•	•	•	•	•
Triple Filtration System	•	•	•	•	•	•	•	•
Flow Through Water Heater	•	•	•	•	•	•	•	•
Five Level Wash	•	•	•	•	•	•	•	•
Condensation Drying	•	•	•	•	•	•	•	•
Nylon Coated Racks	•	•	•	•	•	•	•	•
NSF Certified Units and Cycles	•	•	•	•	•	•	•	•
Electronic Controls	•	•	•	•	•	•	•	•
ENERGY STAR® qualified	•	•	•	•	•	•	•	•
ADA Compliant/EuroTub							•	•
Silence								
dBA	42 dBA	45 dBA	48 dBA	51 dBA	54 dBA	57 dBA	48 dBA	46 dBA
Energy								
kWh	190 kWh	234 kWh	259 kWh	259 kWh	259 kWh	259 kWh	315 kWh	290 kWh
Wash Cycles	9	6	5	4	4	3	5	4
Power Scrub Plus (160°)			•	•	•	•	•	•
Regular Wash (140°)	•	•	•	•	•	•	•	•
AUTOWASH™ (130°–150°)*	•	•	•	•	•			
Delicate Wash (130°)			•				•	•
QUICKWASH (104°)*	30 min	30 min	30 min	30 min	30 min		35 min	30 min
Rinse & Hold	•	•				•	•	
Auto Super Wash	•							
Auto Plus*		•						
Auto Delicate Wash	•	•						
Extreme Wash*	•							
Glass Care	•							
Enviro Wash	•							
Options	2	3	3	2	1	0	1	2
Half Load		•	•	•				
ECOACTION™		•	•					
Sanitize	•							
Delay Start	1–24 hr	1–19 hr	1–19 hr	1–19 hr	1–19 hr		1–19 hr	1–19 hr
POWERBOOST								•
Wash Sensor								
ECOSENSE™	•	•	•	•	•	•	•	•
Turbidity	•	•	•	•	•	•	•	•
Load Size	•							
Upper Rack	Premium	Premium	Mid	Mid	Standard	Standard	Premium	Premium
Adjustability	**RACK**MATIC®	**RACK**MATIC	**RACK**MATIC	**RACK**MATIC	Manual	Manual	**RACK**MATIC	**RACK**MATIC
Place Setting Capacity	14	14	14	14	14	14	9	10
Flip Tines	4 Half Flip-Down Rows	4 Half Flip-Down Rows	2 Half Flip-Down Rows	2 Half Flip-Down Rows	1 Half Flip-Down Row	1 Half Flip-Down Row	2 Half Flip-Down Rows	6 Half Flip-Down Rows
Cup Shelf	2	2	2	2	2	2	2	2
Fine Cutlery and Silver Tray	•	•						•
Lower Rack	Premium	Premium	Mid	Mid	Standard	Standard	Premium	Premium
Flip Tines	8 Half Flip-Down Rows	8 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows			4 Half Flip-Down Rows	4 Half Flip-Down Rows
Silverware Basket	Flexible	Flexible	Flexible	Flexible	Standard	Standard	Flexible	Flexible
Silverware Basket Cover	•	•	•	•	•	•	•	•
Mezzanine Rack	•	•						•
Display								
LED						•		
Multi-Function LED		•	•	•	•		•	•
Multi-Function Text LCD Display (Top)	•	•						
Remaining Time	•	•	•	•	•		•	•
Program Sequence Indicator	•	•						
INFOLIGHT™	•	•	•	•				•
Sanitized Indicator Light	•	•	•	•	•	•	•	•
Rinse Aid Indicator Light	•	•	•	•	•	•	•	•
Other								
AQUASTOP®	•	•	•	•	•	•	•	•
PERFECTDOOR™ with **AUTO**CLOSE™	•	•	•	•	•	•	•	•
Extra Tall Item Sprinkler	•	•						•
Detergent and Rinse Aid Dispenser	•	•	•	•	•	•	•	•
End of Cycle Sound	•	•	•	•	•	•	•	•
OPTIDRY®	•	•	•	•				•
CLEARTOUCH®	•							
Sturdy Door	•	•						
Variable Spray Pressure	•	•						

Color Key: The "x" in the model number indicates the color variant. Please use this color key:

9 = Stainless Steel w/ Display (SS w/Display)
5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)
3 = Fully Integrated (FI)
1 = Titanuim (TI)

Dishwasher Warranty: 1 year parts and labor, 2 years parts, 5 years on all electronic components (parts only), 5 years on racks (parts only), lifetime warranty against rust-through on tub. Certain limitations apply. See manufacturer's limited warranty for details.

*NSF Certified Cycle

Evolution™
Specifications

Model Number	**800 Series** SHE98M0xUC	**800 Series** SHE68M0xUC	**800 Series** SHE58C0xUC	**500 Series** SHE55M0xUC	**500 Series** SHE45M0xUC	**300 Series** SHE43M0xUC	**300 Series** SHE33M0xUC
Core Features							
Color Options	SS	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS w/Black Control/B/W
Stainless Steel **TALL**TUB	•	•	•	•	•	•	•
Two-Pump Motor System	•	•	•	•	•	•	•
Suspension Motor	•	•	•	•	•	•	•
Triple Filtration System	•	•	•	•	•	•	•
Flow Through Water Heater	•	•	•	•	•	•	•
Five Level Wash	•	•	•	•	•	•	•
Condensation Drying	•	•	•	•	•	•	•
Nylon Coated Racks	•	•	•	•	•	•	•
NSF Certified Units and Cycles	•	•	•	•	•	•	•
Electronic Controls	•	•	•	•	•	•	•
ENERGY STAR® qualified	•	•	•	•	•	•	•
Silence							
dBA	42 dBA	45 dBA	48 dBA	48 dBA	51 dBA	54 dBA	57 dBA
Energy							
kWh	190 kWh	234 kWh	290 kWh	259 kWh	259 kWh	259 kWh	259 kWh
Wash Cycles	9	6	5	5	4	4	3
Power Scrub Plus (160°)				•	•	•	•
Regular Wash (140°)	•	•	•	•	•	•	•
AUTOWASH™ (130°–150°)*	•	•	•	•	•	•	
Delicate Wash (130°)			•	•			
QUICKWASH (104°)*	30 min	30 min	30 min	30 min	30 min	30 min	
Rinse & Hold	•	•					•
Auto Super Wash	•						
Auto Plus*		•	•				
Auto Delicate Wash	•	•					
Extreme Wash*	•						
Glass Care	•						
Enviro Wash	•						
Options	2	3	2	3	2	1	0
Half Load		•	•	•			
ECOACTION™		•		•			
Sanitize	•						
Delay Start	1–24 hr	1–19 hr	1–19 hr	1–19 hr	1–19 hr	1–19 hr	
Wash Sensor							
ECOSENSE™	•	•	•	•	•	•	•
Turbidity	•	•	•	•	•	•	•
Load Size	•						
Upper Rack	Premium	Premium	Premium	Mid	Mid	Standard	Standard
Adjustability	**RACK**MATIC®	**RACK**MATIC	**RACK**MATIC	**RACK**MATIC	**RACK**MATIC	Manual	Manual
Place Setting Capacity	14	14	14	14	14	14	14
Flip Tines	4 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows	2 Half Flip-Down Rows	2 Half Flip-Down Rows	1 Half Flip-Down Row	1 Half Flip-Down Row
Cup Shelf	2	2	2	2	2	2	2
Fine Cutlery and Silver Tray	•	•					
Lower Rack	Premium	Premium	Premium	Mid	Mid	Standard	Standard
Flip Tines	8 Half Flip-Down Rows	8 Half Flip-Down Rows	8 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows		
Silverware Basket	Flexible	Flexible	Flexible	Flexible	Flexible	Standard	Standard
Silverware Basket Cover	•	•	•	•	•	•	•
Mezzanine Rack	•	•					
Display							
LED							•
Multi-Function LED		•	•	•	•	•	
Multi-Function Text LCD Display (Front)	•						
Remaining Time	•	•	•	•	•	•	
Program Sequence Indicator	•	•	•				
INFOLIGHT™							
Sanitized Indicator Light	•	•	•	•	•	•	•
Rinse Aid Indicator Light	•	•	•	•	•	•	•
Other							
AQUASTOP®	•	•	•	•	•	•	•
CHILDLOCK	Latch	Latch	Latch	Control	Control	Control	Control
PERFECTDOOR™ with **AUTO**CLOSE™	•	•	•	•	•	•	•
Extra Tall Item Sprinkler	•	•	•				
Detergent and Rinse Aid Dispenser	•	•	•	•	•	•	•
End of Cycle Sound							
OPTIDRY®	•	•	•	•	•		
CLEARTOUCH®	•						
Sturdy Door	•	•					
Variable Spray Pressure	•	•					

Color Key: The "x" in the model number indicates the color variant. Please use this color key:

5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)

Dishwasher Warranty: 1 year parts and labor, 2 years parts, 5 years on all electronic components (parts only), 5 years on racks (parts only), lifetime warranty against rust-through on tub. Certain limitations apply. See manufacturer's limited warranty for details.

*NSF Certified Cycle

Cooking **solutions** that fit the way you live.

You lead a busy life, and we understand that the way you cook may change from moment to moment. One night you might whip up something simple for the kids after a long day at work. Other days, you'll prepare a romantic dinner for just the two of you. You may even entertain friends on the weekend with a multi-course gourmet feast. No matter how you like to cook, Bosch makes preparing your favorite meals easier and more enjoyable with advanced kitchen appliances that offer state-of-the-art technology, ingenious features and handsome contemporary designs. **Invented for life.**

Model shown: Gas Cooktop (NGP 745)

Models shown: Double Oven 800 Series (HBL8650) and Warming Drawer (HWD3050)

No other oven **measures** up.

Bosch introduces built-in ovens worth getting excited about. With the greatest capacity on the market and new safety and efficiency-oriented features, they deliver an impressive package that fulfills your expectations for premium home appliances. When we say its ultra-fast preheat prepares the oven to be cooking-ready in under 7 minutes, it really will be. Our ovens effortlessly uphold the Bosch tradition of quality and reliability, since we only use the highest-quality materials.

#1 In Capacity

At 4.7 cubic feet, our oven is the largest on the market. Plus, with 6-way rack adjustability, you can cook for the whole family simultaneously. An expansive viewing window and bright halogen lighting system make monitoring the progress of your meal easier than ever.

Telescopic Rack

This full-extension rack glides easily on ball bearings and extends over the open oven door for complete access to your food, allowing you to baste large cuts of meat and poultry safely without reaching into the oven. The telescopic rack comes standard on select models and is also available as a separate accessory.



High-Quality Rack Supports

Bosch's heavy-duty rack supports can hold even the heaviest dishes while allowing racks to glide more smoothly than traditional ribbed oven cavities. They make it easy to change racks or mount telescopic racks, and bring a modern, sleek look to the kitchen.

Recessed Heating Element

A recessed top heating element and a fully concealed bottom heating element allow for greater interior capacity, unprecented safety when removing dishes, and extremely easy cleaning.

Convenience meets **quality.**

Only when quality, performance and efficiency come together is an oven truly a Bosch. And our unwillingness to compromise on any of these principles is obvious, as you can see from their sleek, high-quality glass touch controls, available Genuine European Convection for superior cooking performance, and beautiful flush-to-cabinet design for a built-in look. Plus, every Bosch oven is 100% quality tested before shipping. It's this kind of attention to detail and impeccable craftsmanship that make Bosch ovens the perfect cook's accessory, promising years of outstanding performance.



Genuine European Convection w/ACS
This feature offers a powerful 2000-watt third heating element that surrounds the convection fan, circulating preheated air throughout the oven. By optimizing heat circulation within the oven cavity, our Advanced Circulation System (ACS) allows food to be cooked more evenly in up to 30% less time.

CLEARTOUCH® **Glass Control**
Bosch ovens offer high-quality smooth glass touch controls that are as easy to use as they are beautiful. And operating our ovens is simple, with up to 16 heating modes, so the perfect program is available at your fingertips, no matter what dish you want to cook.

Fastest Preheat
When speed is of the essence, Bosch ovens can help. With the fastest preheat on the market, our ovens can be ready to cook in less than seven minutes. This, combined with the convection mode, allows you to substantially reduce overall cooking time. Also, fast preheat is available for up to seven cooking modes.

ECOCLEAN™ **Self-Clean Cycle**
Our built-in ovens' 2-hour self-clean cycle, the industry's best, delivers improved energy efficiency by running for the shortest period of time possible and makes the kitchen a safer place. Plus, it allows you to use your time in the kitchen for cooking, rather than cleaning.

Model shown: 300 Series Single Oven (HBL3350)

Model shown: 800 Series Combination Oven (HBL8750)

Ultimate cooking combinations.

At last, microwaves that won't be destined to hide inside a cabinet, and warming drawers that don't appear as if they were an afterthought to the rest of the kitchen. Bosch built-in microwaves and warming drawers are the ultimate marriage of stylish form and cooking function. For easy installation, microwaves and warming drawers are available in a variety of configurations, and can fit into a single cutout. So you can easily outfit your kitchen to help you perform cooking or warming tasks with ultimate ease and sophistication.

Multiple Recipes

Our microves offer multiple recipe settings to make cooking easier for you, allowing you to spend more time with your family than preparing dinner.

Convection Microwave

Bosch convection microwaves offer you faster and more even cooking results than traditional microwaves, and also offer the advantage of having a second convection oven available. So there are no limits to what you can do in the kitchen.

Warming Drawer

For the ultimate in convenience and functionality, Bosch offers a stylish warming drawer with four temperature settings for prewarming dishes, heating rolls or keeping food hot for late arrivals. This sophisticated addition to the kitchen features a hidden touch control panel inside the drawer for a beautiful, seamless appearance.

Designs that Coordinate

Bosch warming drawers are designed to match perfectly with Bosch ovens to complete your kitchen. Plus, they offer a touch control and timer with color-matching display, enormous capacity and lower sidewalls for easy access to food, for superior performance and convenience.

Oven
Specifications

Model Number	800 Series HBL8750UC	800 Series HBL8650UC	800 Series HBL8450UC	500 Series HBL57x0UC	500 Series HBL56x0UC	500 Series HBL54x0UC	500 Series HBN56x0UC	500 Series HBN54x0UC	300 Series HBL35x0UC	300 Series HBL34x0UC	300 Series HBL33x0UC	300 Series HBN35x0UC	300 Series HBN34x0UC	300 Series HBN3350UC
Type	30" Combination	30" Double	30" Single	30" Combination	30" Double	30" Single	27" Double	27" Single	30" Double	30" Single	30" Single	27" Double	27" Single	27" Single
Color Options	SS	SS	SS	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS/B/W	SS
Microwave Configuration**	Convection			Traditional										
Appearance														
Flush-to-Cabinet Design	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Touch Control	•	•	•											
Ergonomic Retractable Dials				•	•	•	•	•						
Ergonomic Dials									•	•	•	•	•	•
Amber Colored Full Text Display	•	•	•	•	•	•	•	•						
Amber Colored Display									•	•	•	•	•	•
Performance														
Genuine European Convection	•	Upper / Lower	•	•	Upper	•	Upper	•						
Speed Convection	•	Upper / Lower	•	•	Upper	•	Upper	•						
Convection Bake, Broil, Roast	•	Upper / Lower	•	•	Upper	•	Upper	•	Upper	•		Upper	•	
Bake, Broil, Roast	•	Upper / Lower	•	•	Upper / Lower	•	Upper / Lower	•	Upper / Lower	•	•	Upper / Lower	•	•
Pizza, Pie	•	Upper / Lower	•	•	Upper	•	Upper	•	Upper	•		Upper	•	
Recipes	•	Upper / Lower	•	•	Upper	•	Upper	•						
Fast Preheat	•	Upper / Lower	•	•	Upper	•	Upper	•	Upper	•		Upper	•	
Meat Probe	•	Upper	•	•	Upper	•	Upper	•						
ECOCLEAN™ Self-Clean Mode	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle	2-hr Cycle
Sabbath Mode	•	•	•	•	•	•	•	•						
Panel Lock	•	•	•											
Convenience														
Ball Bearing Telescopic Racks	1	1	1											
Standard Racks	2	5	2	3	5	3	5	3	5	3	2	5	3	2
Porcelain Self Clean Rack Supports	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Porcelain Broil Pan	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cavity Lighting	3 Halogen	3 Halogen per Cavity	3 Halogen	2	2 per Cavity	2	2 per Cavity	2	1 per Cavity	1	1	1 per Cavity	1	1
Concealed Bake Element	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Recessed 10 Pass Broil Element	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Overall Oven Capacity*	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.2 cu.ft.	4.2 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.2 cu.ft.	4.2 cu.ft.	4.2 cu.ft.
Technical														
Convection Element Wattage	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W						
Broil Element Wattage	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W
Bake Element Wattage	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W
Dual-Rated 120/208-240 V, 4-Wire, 60 Hz	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Amps	40 A	40 A	30 A	40 A	40 A	30 A	40 A	30 A	40 A	30 A	30 A	40 A	30 A	30 A
Approximate Shipping Weight	267 lb	302 lb	174 lb	267 lb	302 lb	174 lb	253 lb	132 lb	302 lb	174 lb	174 lb	253 lb	132 lb	132 lb

Color Key:
The "x" in the model number indicates the color variant. Please use this color key:

5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)

Accessories	Model Number
30" Ball Bearing Telescopic Rack	HEZ1070
27" Ball Bearing Telescopic Rack	HEZ1077

Stainless Steel
(HBL5650UC model shown)

Black
(HBL5660UC model shown)

White
(HBL5620UC model shown)

*According to AHAM standards. **Please refer to the Microwave section for specifications.

Warranty Information: BSH warrants that its Ovens are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Oven that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Warming Drawer
Specifications

Model Number	HWD30x0UC	HWD27x0UC
Color Options	SS/B/W	SS/B/W
Width	30"	27"
Appearance		
Flush-to-Cabinet Design	•	•
Touch Control	•	•
Amber Colored Display	•	•
Accepts Custom Wooden Panel	•	•
Performance		
Power Levels	Low/Med/High	Low/Med/High
Proof	•	•
Sabbath Mode	•	•
450 Watt Element Concealed Below Drawer	•	•
Convenience		
Ball Bearing Drawer Guides	•	•
Lower Side Walls for Easy Access	•	•
Moisture Selector “Moist or Dry”	•	•
Timer (5 min – 5 hr)	•	•
Technical		
Warming Drawer Wattage	450 W	450 W
Overall Warming Drawer Capacity	2.6 cu.ft.	2.3 cu.ft.
Amps	15 A	15 A
Power Supply	120 V, 60 Hz	120 V, 60 Hz

Color Key:
The “x” in the model number indicates the color variant. Please use this color key:

5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)

Stainless Steel
(HWD3050UC model shown)

Black
(HWD3060UC model shown)

White
(HWD3020UC model shown)

Warranty Information: BSH warrants that its Warming Drawer is free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Warming Drawer that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH’s option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Microwave
Specifications

Model Number	HMB80x0	HMB50x0
Color Options	SS/B/W	SS/B/W
Microwave Configuration	Convection	Traditional
Appearance		
Touch Control	•	•
Amber Colored Scroll Text Display	•	•
Matching Built-In Trim Kit 27"	HMT87x0	HMT57x0
Matching Built-In Trim Kit 30"	HMT80x0	HMT50x0
Performance		
Microwave Power	1,000 W	1,200 W
Power Levels	10	10
Microwave Technology	Inverter	Inverter
Convection Cooking	•	
Convection Wattage	1,400 W	
Sensor Cook	9 Recipes	18 Recipes
Auto Convection Cook	Cake/Pie	
Quick Defrost	•	•
Smart Sensor Reheat	•	•
Auto Reheat Beverages	•	•
Sensor Popcorn	•	•
Keep Warm	•	•
Convenience		
Turntable	Recessed Ceramic 15"	Recessed Glass 16 1/2"
Clock	•	•
Kitchen Timer	•	•
Delay Start	•	•
Quick Min	•	•
More/Less	•	•
Pause/Stop	•	•
Technical		
Overall Microwave Capacity	1.5 cu.ft.	2.1 cu.ft.
Amps	20 A	20 A
Power Supply	120 V, 60 Hz	120 V, 60 Hz

Color Key:
The “x” in the model number indicates the color variant. Please use this color key:

5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)

Stainless Steel
(HMB5050 model shown)

Black
(HMB5060 model shown)

White
(HMB5020 model shown)

Warranty Information: BSH warrants that its Microwave is free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Microwave that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH’s option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Model shown: Built-in Benvenuto® Coffee Machine (TKN68E75UC)

Turn the kitchen into an **espresso** bar.

The Bosch Benvenuto® is the beginning of an entirely new home-coffee experience, one usually reserved for Italian cafés or coffeehouses. With just the push of a button, you select the coarseness of your grind and the size of your coffee, from a small espresso to an extra-large coffee. Then the Benvenuto's revolutionary **AROMA**SWIRL® system goes into action, extracting all of the flavor from each bean for the richest-tasting coffee you've ever experienced. And all of this performance comes in a completely integrated unit with handsome steel and black accents.

Bosch's Benvenuto Built-in Coffee Machines are backed by The *Good Housekeeping* Seal — a two-year limited warranty.

Built-in Benvenuto Coffee Machine

Model
TKN68E75UC

Dimensions
18 1/16" x 23 3/8" x 20 3/16"

AROMASWIRL

The patented **AROMA**SWIRL system completely engulfs coffee grounds with water in a pressurized chamber, for the most authentic-tasting coffee you've ever experienced from a home machine.



One Touch

The Bosch Benvenuto is so simple, anyone can use it. You can start the entire brewing process with just the push of a button.

Height-Adjustable Coffee Dispenser

Benvenuto's dispenser can be adjusted to accommodate virtually any cup size, from a small espresso cup to a tall latte glass.

Choose Your Perfect Grind

The Benvenuto works equally well with whole bean or ground coffee. You have complete control over the amount of coffee used for each cup, as well as the coarseness of the grind. So you always get your coffee exactly the way you like it.

Induction Cooktops

Safety meets **sophistication.**

Induction cooktops are a revolutionary way of cooking that uses the power of electro-magnetic waves to safely heat food quickly and efficiently. Amazingly, the cooktop remains lukewarm to the touch during the heating process because the electro-magnetic waves turn the bottom of the pot into the active heating surface, rather than the cooktop. This helps them to be much safer than gas or electric cooktops. Plus they deliver unrivalled efficiency by using 30% less energy, and heat food over two times faster than conventional ceramic cooktops.

CHILDLOCK

Bosch induction cooktops take safety up a notch. The **CHILD**LOCK function prevents the cooktop from being accidentally switched on and locks the temperature settings if the cooktop is in use.

Anti-Overflow System

Sensors in the glass can detect large spills or excessive overflow, automatically shut off the cooktop, and sound an alarm to alert you of the situation.

Automatic Shut-Off System

Safety comes first. So Bosch induction cooktops are designed to automatically switch off when the unit exceeds a maximum temperature limit.

Safe Start

This safety feature accurately distinguishes between pots or pans and smaller items like utensils that may accidentally be left on the cooktop, and ensures that each cooking element will only heat up if a pot is detected on the cooking surface.

Model Shown: Induction Cooktop (NIT8653UC)

As **efficient** as it is powerful.

Induction cooktops are changing the way you cook thanks to state-of-the-art features like **POT**SENSE™ and **MAXX**BOOST.™ Ingenious convenience-oriented features such as a keep warm function and count-down timer give you unheard of versatility and the ability to multi-task in the kitchen. All together, they create an unprecedented package of features and performance that will exceed your expectations and delight your family.

POTSENSE

Bosch induction cooktops can detect if a pot is placed on a cooking element and automatically adjust the cooking field to the size of the pot bottom. This means no unneeded heat will escape to the sides of the pot, making your kitchen cooler, more energy-efficient, and safer.

MAXXBOOST

For time savings as well as energy savings, Bosch induction cooktops equipped with **MAXX**BOOST function can heat two quarts of water up to 194 degrees Fahrenheit in just over three and a half minutes. That's twice as fast as a conventional ceramic cooktop.

Keep Warm Function

When this function is selected, it enables you to reduce the cooking power to as little as 3% of normal—much greater temperature control than conventional cooktops offer you. This brings the heat to a perfect level to keep meals warm, or simmer soups.

Easy to Clean

Since heat is not radiated from the cooktop, food never becomes baked on. Plus, sensors in the glass surface halt cooking in the event of a large spill, and the smooth top easily wipes clean with just a damp cloth.

COUNTDOWN **Timer**

The days of "slaving over a hot stove" are long gone, thanks to this ingenious function that allows you to pre-set a cooking time for each individual heating element. Now you can multi-task in the kitchen, and the cooktop will automatically shut off the individual cooking elements when their programmed time has expired.

Model Number	**800 Series** NIT8653UC	**800 Series** NIT8053UC
Appearance	36"	30"
Color Options	Black w/SS Trim	Black w/SS Trim
Control Type	Touch	Touch
Heating Elements		
6" Single Element (1,400 W / 1,800 W*)	RR	RF
7" Single Element (1,800 W / 2,500 W*)	LF, LR	LF, LR
8" Single Element (2,200 W / 3,300 W*)	RF	
12" Single Element (2,400 W / 3,400 W*)		C
8"/12" Element (1,800 W / 2,500 W / 3,600 W*)	C	
Features		
MAXXBOOST™	•	•
COUNTDOWN Timer	•	•
2-Level Heat Indicator	•	•
PRECISIONSIM™	•	•
Keep Warm Function	All Elements	All Elements
CHILDLOCK	•	•
Cookware Sensing	•	•
Safe Start	•	•
Automatic Shut-Off System	•	•
Technical		
Dual Rated 208/240 V, 3-Wire, 60 Hz	•	•
Amps	45 A	30 A

SS – Stainless Steel

*Refers to wattage with **MAXX**BOOST.

Induction Cooktop Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Model shown: Gas Cooktop (PGL 985)

Versatile power.

To create a variety of dishes, you need a cooktop that has a variety of features. And that's exactly what you get with Bosch gas cooktops. High BTU output burners deliver a range of flame settings, while a separate, low-output burner provides gentle simmering. The large, substantial dials are easy to adjust to get the perfect flame. And multiple-size burners accommodate all manner of cooking styles. We even gave the burners a sealed, recessed design to contain spills and make cleanup easy. In short, our cooktops are designed to meet your every need. So all you have to do is get cooking.

Continuous Grates

This large, continuous, low-profile cooking surface provides you with a versatile platform to work on. Now you can "really" cook. The stable cast-iron grate design allows you to effortlessly move your pans from one burner to the other, optimizing the use of the various burner sizes this cooktop features.

SMARTFLAME™ **Flame Safety**

For maximum user safety, a thermocouple is used to sense the presence of a flame after a burner is turned on. If the flame should blow out, the sensor will immediately register the change in temperature and turn off the gas flow (PGL and PCK models only). Now, you can use your gas cooktop without fear of excess gas escaping into the room.

TRIPLEFLAME™ **Burner**

In its lowest setting, only the small center flame is activated, heating small pots or pans to simmer. If the output is increased, the two outer rings are added to the simmer flame. At the maximum setting, all three flame rings put out a powerful 15,500 BTU for consistent heat distribution across the bottom of large pots and pans (PGL model only).

Low-Profile Design

The sleek, low-profile design of our gas cooktops is elegantly understated and blends seamlessly into any countertop. In stainless steel, the recessed cooktop has a deep spill tray that contains boil-overs for easy cleanup. The shallow depth allows for easy installation of an oven or warming drawer beneath the cooktop.

Design and performance in **perfect** harmony.

From the simple elegance of the ceramic-glass cooking surface to the exciting performance features, Bosch electric cooktops are the very image of understated sophistication for the kitchen. Bosch cooktops offer a range of exclusive performance and convenience features that give you more control and more functionality with superior safety, to make every meal easier and more fun to prepare. Whether you choose the sophisticated touch-control models that feature built-in timers, or the familiarity of our conventional rotary-dial units, you're certain to find a model that suits your design aesthetic and cooking style.

POWERSTART™

This feature temporarily increases and holds the temperature at the most powerful setting. Then it gradually declines to your pre-set level. This reduces cooking time, preserves the nutritional value of the food, and offers the convenience of one-button operation.

PRECISIONSIM™

PRECISIONSIM gives you 10 increments of heat adjustment below 25% of the element's rated power level, so you can precisely set the heat for ideal simmer results without fear of burning or scorching. It's perfect for making delicate sauces or melting chocolate.

COUNTDOWN **Timer**

We've designed independent, built-in timers for each element. Conveniently displaying the set time in the control panel for easy reference, they can automatically shut off each element for easy-timed cooking of multiple dishes. You can even use them as general-purpose kitchen timers.



Touch Control

This touch-sensitive control panel uses the most advanced technology on the market. It has a digital readout of the chosen power setting and a residual heat indicator to prevent accidental injury. A 17-step heat setting gives you unprecedented temperature control, while a built-in timer provides an extra measure of convenience.

Bosch Electric Cooktops are backed by The *Good Housekeeping* Seal — a two-year limited warranty.

Model shown: Electric Cooktop (NET 7452)

Gas Cooktop Specifications



Stainless Steel
(PGL 985 model shown)

PGL/PCK Gas Cooktops

These high-performance cooktops are for those who take their cooking seriously. Available in 30" or 36," they feature optimized burner configurations for maximized pan spacing and excellent cooking versatility. The **TRIPLE**FLAME™ 15,500 BTU center burner on the PGL allows you to switch from an ultra-high setting for searing meats to an ultra-low setting for simmering delicate sauces. The unique diamond burner layout of the PCK provides unrivalled flexibility in using multiple large pans simultaneously. Both models offer the exclusive **SMART**FLAME™ safety feature, which automatically shuts off the gas to the burner should the flame extinguish for any reason.

Model Number	PGL985UC	PCK755UC	NGP945UC	NGP745UC	NGT94xUC	NGT74xUC
Appearance	36"	30"	36"	30"	36"	30"
Color Options	SS	SS	SS	SS	SS/B/W	SS/B/W
Continuous Grate Design	•	•	•	•	•	•
Ergonomically Designed Dials	•	•	•	•	•	•
Deep Recessed Spill Areas	•	•	•	•	•	•
Burners						
Right Front Burner	1,300–7,000 BTU	1,700–10,500 BTU	950–6,500 BTU	950–6,500 BTU	950–6,500 BTU	950–6,500 BTU
Right Rear Burner	1,300–7,000 BTU		1,300–9,100 BTU	1,650–11,000 BTU	1,300–9,100 BTU	1,650–11,000 BTU
Left Front Burner	1,700–10,000 BTU	4,100–12,500 BTU	1,850–15,000 BTU	1,850–15,000 BTU	1,650–12,500 BTU	1,650–12,500 BTU
Left Rear Burner	1,000–5,500 BTU		1,300–9,100 BTU	1,300–9,100 BTU	1,300–9,100 BTU	1,300–9,100 BTU
Center Burner	830–15,500 BTU					
Center Front Burner		800–3,500 BTU				
Center Rear Burner		1,000–6,000 BTU	1,650–11,000 BTU		1,650–11,000 BTU	
Sealed Burners	•	•	•	•	•	•
TRIPLEFLAME Burner	•					
SMARTFLAME	•	•				
Electronic Re-ignition			•	•	•	•
Included Accessories						
Diffuser Plate			•	•		
LP Conversion Kit	•	•				
Optional Accessories						
Wok Ring – NEZ1110			•	•	•	•
Diffuser Plate – NEZ1210					•	•
Griddle – NEZ1310			•	•	•	•
LP Kit – NEZ1056					•	•
Technical						
Energy Source	Nat. Gas	Nat. Gas	Nat. Gas Only	Nat. Gas Only	Nat. Gas	Nat. Gas
Liquid Propane Convertible	•	•	•	•	•	•
Amps	15 A	15 A	15 A	15 A	15 A	15 A
Approx. Shipping Weight	38 lb	33 1/2 lb	51 lb	42 lb	49 lb	42 lb
120 V, 3-Wire Power Cord	•	•	•	•	•	•

Color Key:

The "x" in the model number indicates the color variant. Please use this color key:

5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)

Stainless Steel
(NGT745UC model shown)

Black
(NGT746UC model shown)

White
(NGT742UC model shown)

Gas Cooktop Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Electric Cooktop Specifications

Model shown: Electric Cooktop (NET 9652)

Touch Controls

Model Number	**600 Series** NET9652UC	**500 Series** NET7552UC	**400 Series** NET7452UC
Appearance	36"	30"	30"
Color Options	SS	SS	SS
Control Type	Touch	Touch	Touch
Heating Elements			
6" Single Element (1,200 W)	RR	RF	RF
7" Single Element (1,800 W)			LR
7" Bridge Element (1,800 W)	LF	LF	
7" Bridge Element (1,800 W / 400 W)	LR	LR	
5"/7" Dual Element (700 W / 1,700 W)	RF		LF
6"/9" Dual Element (1,100 W / 2,500 W)		RR	RR
6"/8"/12" Triple Element (1,050 W / 1,950 W / 2,700 W)	C		
Features			
POWERSTART®	•	•	•
COUNTDOWN Timer	•	•	
2-Level Heat Indicator	•	•	•
PRECISIONSIM™	•	•	•
Technical			
Dual Rated 208/240 V, 3-Wire, 60 Hz	•	•	•
Amps	40 A	30 A	30 A

Knob Controls

Model Number	**500 Series** NEM9552UC	**500 Series** NEM7552UC	**400 Series** NEM94x2UC	**400 Series** NEM74x2UC
Appearance	36"	30"	36"	30"
Color Options	SS	SS	B/W	B/W
Control Type	Knob	Knob	Knob	Knob
Heating Elements				
6" Single Element (1,200 W)	RF	RF	RR	RF
7" Single Element (1,800 W)			LR	LR
7" Bridge Element (1,800 W)	LF	LF		
7" Bridge Element (1,800 W / 400 W)	LR	LR		
5"/7" Dual Element (700 W / 1,700 W	RR		RF, LF	LF
6"/9" Dual Element (1,100 W / 2,500 W)	C	RR	C	RR
Technical				
Dual Rated 208/240 V, 3-Wire, 60 Hz	•	•	•	•
Amps	40 A	30 A	40 A	30 A

Color Key:
The "x" in the model number indicates the color variant. Please use this color key:

5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)

Accessories: All models include Use and Care Instructions and Installation Manuals (English/Spanish/French), a service booklet and a cooktop cleaner/scraper. Electric Cooktop Warranty: 1 year parts and labor.

Model shown: Slim Silhouette Wall Mount Canopy Hood (DKE94)

Any shape or form.

With attractive styles ranging from traditional to contemporary, Bosch ventilation products are easy on all your senses. Especially your eyes. Powerful dual-inlet blowers operate at a whisper-quiet volume and quickly clear the air after a fragrant meal. And having Bosch ventilation improves your home's air quality while our array of beautiful designs complement your kitchen's look.

Island

Flaunting crisp lines and glass accents, our island hood offers an aesthetically pleasing, sophisticated design that matches the rest of your kitchen.



Custom Inset

Our new flush-fitting custom inset hoods were designed with minimalist styling that makes them barely visible. And their powerfully quiet fans make them barely audible.

Wall Mount

This stylish hood provides you with up to 400 CFM. That means it's powerful enough to remove the toughest steam and odor. Yet it is amazingly quiet and easy to use. For convenience, this hood also features three fan-speed settings and two surface lights.

Downdraft

The perfect solution for very high ceilings, island installation or simply lack of space, our downdraft rises from behind your cooktop. The full 10" rise allows for efficient capture of steam and smoke. And like all our ventilation products, it is extraordinarily quiet.

Powerful attraction.

There’s no need to step outside for a breath of fresh air. With Bosch’s line of efficient, high-performance ventilation products, you can clear the air quickly, quietly and beautifully. With models offering up to 600 CFM of ventilating capability, they quickly remove steam, odors, grease and smoke generated by cooking. The impressively quiet blowers let you adjust the ventilation power for the specific job at hand. And once you see how well they complement your Bosch cooktop or range, you’ll discover that our ventilation products have an attraction all their own.

Styling

Ventilation is indispensable in any kitchen. And wall hoods can be either an eyesore or a visual enhancement. When designing our wall hoods, we chose the latter. So whether you choose traditional, slim silhouette, pyramid or glass canopy-style, its form will beautify its function.

Performance

Steam, smoke, grease odors–nothing resists our efficient ventilation systems. With four-speed fans, dual blowers and a wide CFM range, you can adjust the fan to the desired amount of exhaust power. And all this power almost goes unnoticed because our hoods are also quiet. Extremely quiet.

Lighting Options

You have ambitions of being a chef extraordinaire, and you’re the star in your kitchen. Good news! Now you can cook in the limelight with your choice of halogen hood lights, or, if you prefer, traditional incandescent lights. Both provide bright, clean light over the entire cooking surface to illuminate all your creations.

Versatility

Bosch hoods range from 280 to 600 CFM, so you can select the power to meet your ventilation needs. Our hoods also come in a variety of colors, styles and sizes 30", 36" or 40".

Model shown: Wall Mount Glass Canopy Hood (DKE 96)

Ventilation
Specifications

Wall Mount Canopy Hoods



Model Number	**DKE9605PUC** (30") **DKE9665PUC** (36")	**DKE9405MUC** (30") **DKE9465MUC** (36")	**DKE9305AUC** (30") **DKE9365AUC** (36")
Appearance			
Color Options	SS	SS	SS
Style	Glass Canopy	Slim Silhouette Canopy	Pyramid Canopy
Controls Concealed Under Hood			Slide Switch
Front Center Controls	Electronic Push Button	Electronic Push Button	
Digital Display	7 Segment Display	7 Segment Display	
Available Widths	30", 36"	30", 36"	30", 36"
Wall Mount	•	•	•
Welded and Polished Seams	•	•	•
Lighting	2 Halogen	2 Halogen	2 Incandescent
Technical			
Maximum CFM	600 CFM	600 CFM	400 CFM
Speed Settings	4	4	3
Decibel Rating	54 dB	53 dB	58 dB
Dishwasher-Safe Filter	1	3	2
Adjustable Duct Height	•	•	•
Duct Size	6"	6"	6"
Vertical Discharge	•	•	•
Electrical Requirements	15 A, 120 VAC, 60 Hz	15 A, 120 VAC, 60 Hz	15 A, 120 VAC, 60 Hz
Amps	4.8 A	4.8 A	2.8 A
Approximate Shipping Weight – 30"	77 lb	44 lb	40 lb
Approximate Shipping Weight – 36"	70 lb	57 lb	40 lb
Accessories			
DRZ94UC Recirculation Option	•	•	

Specialty Hoods

Model Number	**DIE165RUC**	**DHD8005UC/DHD9605UC**	**DHL755BUC**
Appearance	40"	30"/36"	29" For Applications Up To 36"
Color Options	SS	SS	Metallic
Style	SS w/ Glass Island Hood	Downdraft	Custom Inset Hood
Controls	Push Button, 7 Segment Display	Push Button	Slide Switch
Glass Canopy	•		
Lighting	4 Halogen		2 Halogen
Technical			
10" Rise Retractable Intake		•	
Speed Settings	4	3	4
600 CFM Internal Blower		DHG601DUC	
600 CFM Remote Blower		DHG6023UC	
600 CFM In-Line Blower		DHG6015DUC	
Maximum CFM	600 CFM	600 CFM	400 CFM
Duct Size	6"	6"	6"
Vertical Discharge	•	•	•
5-Layer Stainless Steel Filter		•	
Dishwasher-Safe Filter	1	2	2
Full-Face Filter		2	
Screw Drive System		•	
Electrical Requirements	15 A, 120 VAC, 60 Hz	15 A, 120 VAC, 60 Hz	15 A, 120 VAC, 60 Hz
Amps	5 A	10 A	4.5 A
Approximate Shipping Weight	116 lb	50/52 lb	22 lb

DHD Accessories

DHZ8220	30" White Color Kit
DHZ8260	30" Black Color Kit
DHZ9220	36" White Color Kit
DHZ9260	36" Black Color Kit
DHZDRH6	6" Transition for Remote Blower

SS – Stainless Steel

Ventilation Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Under Cabinet Hoods

Model Number	**DPH30352UC** (30") **DPH36352UC** (36")	**DUH30252UC** (30") **DUH36252UC** (36")	**DUH301x2UC** (30") **DUH361x2UC** (36")
Appearance			
Color Options	SS	SS	SS/B/W
Style	Commercial	Traditional	Traditional
Available Widths	30", 36"	30", 36"	30", 36"
Controls	2-Speed Rocker	4-Speed Rotary	3-Speed Rotary
Lighting	2 Incandescent	2 Halogen	2 Incandescent
Technical			
Blower Included	450 CFM	400 CFM	280 CFM
Ducting Direction	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal
Duct Size	8" Round	7" Round / 3 1/4" x 10"	7" Round / 3 1/4" x 10"
Recirculation	Optional	•	•
Mesh Filters	2	2	2
Electrical Requirements	15 A, 120 VAC, 60 Hz	15 A, 120 VAC, 60 Hz	15 A, 120 VAC, 60 Hz
Amps	4.4 A	4.4 A	4.4 A

Traditional Ventilation Accessories

Width	**36"**	**30"**
Charcoal Filter Kit, DUH	DHZ3602UC	DHZ3002UC
Replacement Charcoal Filters, DPH	DHZ3052UC	DHZ3052UC
Recirculation Kit, DPH	DRZ3652UC	DRZ3052UC

Color Key:
The "x" in the model number indicates the color variant. Please use this color key:

5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)

Ventilation Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Evolution™ Electric Ranges

The electric range, **evolved.**

Telescopic Rack
With our convenient, full-extension telescopic rack, you can easily view, check and baste your dishes without having to reach into the oven. Our rack glides smoothly and easily, extending fully over the open oven door–even when holding up to 35 pounds. Plus it fits any of our six rack positions and is removable for easy cleanup.

Model shown: Evolution™ Electric Range (HES 7282 Pro)

The Evolution Electric Free-Standing Range will truly take your cooking to a higher plane of existence. It features a glass-ceramic cooktop with **ULTRA**SPEED ribbon elements for heat-up that's as responsive as gas, and Touch & Turn® control technology that gives you convenient access to every function with just a single control knob. Add the performance of Genuine European Convection and a concealed bake element, and it's clear that every meal you prepare with this range is certain to be a hit.

Touch & Turn
Operating your oven with our exclusive Touch & Turn control system is a breeze. Performance is now at your fingertips. You can quickly access an array of cooking modes in fewer steps, and even self-clean your oven with a single intuitive control knob. No more guesswork. Just great results every time.

Endless Cooking Possibilities
With up to nine preset cooking modes, the options are as vast as they are easy to operate. Our precisely programmed oven functions let you choose from bake, broil, convection bake, convection broil, convection roast, dehydrate or keep warm to complement your diverse cooking needs. All models even include a Sabbath mode.



Cooktop Elements
The electric cooktop features our state-of-the-art UltraSpeed ribbon elements. Instantly responding to the controls, these elements boast a 3 to 5-second "heat-up" time. There are multiple-sized elements, including a triple, all of which are adjustable to accommodate a variety of cookware styles.

Concealed Bake Element
The oven cavity floor hides an 8-pass bake element, offering maximized heat distribution for more even cooking. Since the element is not exposed, you get more usable space for that extra sheet of chocolate chip cookies. Flexibility doesn't stop here since the hidden bake element also makes for the easiest way to clean the inside of your oven.

Genuine European Convection w/ACS
This feature offers a powerful 1100-watt third heating element that surrounds the convection fan, circulating preheated air throughout the oven. By optimizing heat circulation within the oven cavity, our Advanced Circulation System (ACS) allows food to be cooked more evenly in up to 30% less time.

Evolution™ Gas Ranges

Performance beyond your expectations.

If you're looking for a range to unleash your cooking instincts, look no further than the Evolution Gas Free-Standing Range. Pro-style cooking grates let you slide your pots as easily as if you were in a restaurant kitchen. Powerful **POWER**SIM® burners deliver up to 16,000 BTU for fast time-to-boil and excellent searing, while optimized burner spacing keeps every pot optimally positioned for maximum convenience. Prepare yourself for an amazing culinary experience.

Pro-Style Cooktop
Cooking enthusiasts will truly appreciate the convenience of our pro-style, continuous cast-iron grates. This surface area is the largest in its class. Underneath the low-profile grates, a one-piece, stainless steel (on select models only) upswept cooktop with a sealed burner system makes for a tight look and easy-to-clean surface.

Optimized Burner Spacing
We've revolutionized cooktop design with our unique burner spacing, which offers enhanced versatility as well as the largest cooking surface in its class. In addition to the PowerSim burner, our cooktop has a true-simmer rear burner that is offset to the right—ultimately providing more space for larger pots, while leaving plenty of room for your creativity and cooking prowess.

Temperature Probe
Our built-in automatic meat temperature probe will allow you to cook more accurately and enjoy perfect meals all the time. When foods reach the preset internal temperature, the oven beeps and turns itself off—giving you optimal temperature control. And by not overcooking, your food also maintains its nutritional value. Food tastes better, and you eat healthier.

Widest Oven in its Class
At 25 inches, our oven is the widest in its class. Incredibly accommodating not only can you cook with a variety of cookware sizes simultaneously, it lets you cook an entire meal—including a large bird with all the trimmings. And with our well-lit oven, checking on your meal is a pleasurable eye opener.

Full-Meal Cooking
Thanks to our large capacity and Genuine European Convection, you can cook a feast in your oven. Furthermore, the convection technology prevents fusion of flavors. So, your cherry pie won't taste like garlic potatoes, and your pork roast will taste like... pork roast. You're only limited by your imagination.



Large Warming Drawer
With three electronically controlled temperature settings ranging from 140°-220°F, our stainless steel warming drawer gives you a choice of options for ideal warming temperatures. While it smoothly glides on steel ball bearings, the drawer fully extends for easy access to its 1.3 cubic feet of usable space.

Model shown: Evolution™ Gas Range (HGS 7052)

Model shown: Integra™ Electric Range (HEI 7132)

Integra™ Electric Ranges

Beautiful design. Great results.

Integra electric ranges deliver power and functionality that help them perform as good as they look. Triple-element burners offer exceptional versatility for different-sized pots, and **ULTRA**SPEED ribbon technology heats up as fast as gas. The Genuine European Convection w/ACS cooks faster and more evenly. And an extra-large 1.3 cubic foot warming drawer keeps food warm until it's ready to be served. Plus the ranges are designed to slide beautifully into your existing cabinetry for a flush, integrated appearance.

Bosch Integra Ranges are backed by The *Good Housekeeping* Seal — a two-year limited warranty.

#1 In Capacity

At 4.6 cubic feet, our oven is the largest on the market. Plus, with 6-way rack adjustability, you can cook for the whole family simultaneously. An expansive viewing window and bright lighting system make monitoring the progress of your meal easier than ever.

CLEARTOUCH® **Glass Panel**

This touch panel features high quality materials and elegant design, while giving complete access to all of the range's many features. Easy to use and even easier to clean, the control indicators will never fade because they are sealed under the glass surface, guaranteeing a beautiful appearance for years to come.

Triple Element Burners

The burners are available in 5"/7"/9" and 6"/9"/12" configurations, and are designed to efficiently accommodate a wide variety of cookware without wasting energy unnecessarily.

Touch & Turn®

Operating your oven with our exclusive Touch & Turn control system is a breeze. Performance is now at your fingertips. You can access an array of cooking modes in fewer steps, and even self-clean your oven with a single intuitive control knob. No more guesswork. Just great results every time.

Genuine European Convection w/ACS

This feature offers a powerful 1100-watt third heating element that surrounds the convection fan, circulating preheated air throughout the oven. By optimizing heat circulation within the oven cavity, our Advanced Circulation System (ACS) allows food to be cooked more evenly in up to 30% less time.

Integra™ Dual-Fuel Ranges

Make dinner your **favorite** part of the day.

For performance and convenience that make cooking a pleasure,consider the Integra dual-fuel slide-in range. Its gas-on-glass design features burners mounted on a ceramic-glass cooktop, making cleanup easy. A 16,000 BTU **POWER**SIM® burner delivers a faster time-to-boil as well as precise control for excellent simmering. There's also a Genuine European Convection w/ACS oven that cooks up to 25% faster and features the largest oven capacity available, giving you the ability to prepare even the largest meals with ease.

#1 In Capacity
At 4.6 cubic feet, our oven is the largest on the market. Plus, with 6-way rack adjustability, you can cook for the whole family simultaneously. An expansive viewing window and bright lighting system make monitoring the progress of your meal easier than ever.

POWERSIM **Burner**
The **POWER**SIM burner is the ultimate in power and finesse. It can generate a blazing 16,000 BTU for fast boiling or quick searing. At the other extreme, the built-in diffuser distributes heat evenly to let you simmer delicate sauces or melt chocolate without scorching.

Gas On Glass
This ingenious design mounts gas burners on color-matched ceramic glass, creating a sleek, handsome cooktop that's patterned to conceal smudges while being significantly easier to clean.

Pro-Style Cooktop
Cooking enthusiasts will appreciate the convenience of our continuous cast-iron grates, which facilitate pot movement on the cooktop. They'll also value the performance of our sealed burner system, which can bring pots quickly to a boil at its highest output, as well as gently simmer sauces with its precision low-output setting. And because the system is fully sealed against drips and spills, it's easier to clean as well.

Genuine European Convection w/ACS
This feature offers a powerful 1100-watt third heating element that surrounds the convection fan, circulating preheated air throughout the oven. By optimizing heat circulation within the oven cavity, our Advanced Circulation System (ACS) allows food to be cooked more evenly in up to 30% less time.

Bosch's Free Standing Dual-Fuel Range is ranked #1 by a leading consumer magazine for the 3rd time in a row.

Model shown: Integra™ Dual-Fuel Range (HDI 7152)

Model shown: Over-the-Range Microwave (HMV 930)

The **best** of all worlds.

That’s exactly what you get with Bosch’s over-the-range microwaves. You enjoy the excellent cooking performance and functionality of a Bosch microwave, the convenience of an over-counter design that frees valuable counter space, and the added bonus of an integrated ventilation unit with up to 300 CFM to keep steam, smoke and food odors at bay. All in a handsome design that perfectly complements Bosch convection ranges.

Multi-Sensor Cooking Modes

Standard in our over-the-range microwaves, our sensor cooking modes add a new level of cooking performance. A sensor measures the amount of humidity in the oven. The microwave then automatically adjusts cooking time, based on the type of food.

Integrated Ventilation

The perfect addition to a free-standing convection range or cooktop, our over-the-range microwaves have built-in ventilation systems with up to 300 CFM that feature a charcoal filter, a two-speed fan and a dishwasher-safe grease filter.

Evolution™ Electric Range Specifications

Stainless Steel Pro
(HES7282 model shown)

Evolution Electric Ranges

Featuring a sleek, low-profile, ceramic-glass cooktop and a multitude of heating-element sizes plus an extra wide oven, our electric free-standing range is at the cutting edge of cooking performance. Available options include our exclusive mTwisT® cooktop control, Genuine European Convection, full-extension telescopic rack, stainless steel warming drawer and temperature probe.

Model Number	700 Series HES7282U PRO	700 Series HES7252U	700 Series HES71x2U	700 Series HES7052(U or C)
Oven				
Color Options	SS Pro	SS	SS/TI	SS
Touch & Turn® Oven Control	•	•	•	•
Bake	•	•	•	•
Broil	•	•	•	•
Automatic Convection Bake	•	•	•	•
Convection Broil	•	•	•	
Convection Roast	•	•	•	•
Convection Conversion	•	•	•	•
Dehydrate	•	•	•	•
Sabbath Mode	•	•	•	•
Proof	•	•	•	•
Keep Warm Oven Mode	•	•	•	•
Temperature Probe	•	•	•	
Genuine European Convection (With Third Heating Element)	•	•	•	•
Advanced Circulation System (ACS)	•	•	•	•
Full Extension Telescopic Rack	1	1	1	
Standard Rack w/More Surface Area	2	2	2	2
Space Saving Half Rack				1
Wide View Oven Window	•	•	•	•
Cavity Volume	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.
40 W Incandescent Lights	2	2	2	2
Convection Assisted Self-Cleaning Oven	•	•	•	•
Full Stainless Steel Backguard	•			
Full Stainless Steel Oven Door	•			
CLEARTOUCH® Oven Controls	•	•	•	•
True Hidden Bake Element	•	•	•	•
Rack Positions	6	6	6	6
Broiler Pan	•	•	•	•
Broil Wattage	3,600 W	3,600 W	3,600 W	3,600 W
Bake Wattage	2,000 W	2,000 W	2,000 W	2,000 W
Third Element Wattage	1,100 W	1,100 W	1,100 W	1,100 W
Lower Drawer				
Warming Drawer (Full Extension)	•	•	•	•
WD/Sabbath Mode	•	•	•	•
Cooktop				
9"/12" Dual Element (2,700 W)	RF		RF	
5"/7"/9" Triple Element (2,500 W)	LR	LF	LR	
5"/9" Dual 2500 Watt Element				RF
5"/8" Dual Element (1,900 W)		RR		
8" Single Element (2,000 W)				
6" Single Element (1,500 W)		LR		
6" Single Element (1,200 W)	RR, LF	RF	RR, LF	RR
7" Single Element (1,800 W)				LF, LR
Bridge Element (800 W)				•
Twist Control		•		
Manual Pot Sizing		•		
Warming Zones		All Elements		
Stainless Steel-Framed Main Top	•	•	•	•
Easy-to-Use Front Controls	•		•	•
Nickel Finish Knobs	•		•	
Full Stainless Control Panel	•	•	•	
Technical				
Dual Rated 208/240 V, 4-wire, 60 Hz	•	•	•	•
Amps	40 A	40 A	40 A	40 A

Color Key:
The "x" in the model number indicates the color variant. Please use this color key:

8 = Stainless Steel Pro (SS Pro)
5 = Stainless Steel (SS)
3 = Titanium (TI)

Accessories	Model Number
Telescopic Rack	HEZ1040

Stainless Steel Pro
(HES7282 model shown)

Stainless Steel
(HES7052 model shown)

Titanium
(HES7132 model shown)

CSA®Electric Ranges are CSA approved.

Warranty Information: BSH warrants that its Ranges are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Range that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Evolution™ Gas
Range Specifications

Stainless Steel Pro
(HGS7282 model shown)

Evolution Gas Ranges

Featuring pro-style continuous grates with the largest cooking surface on the market, as well as a sophisticated convection system, our gas free-standing range is the perfect solution for your cooking needs. Available options include our **POWER**SIM® burner, full-extension telescopic rack, stainless steel warming drawer and built-in temperature probe.

Stainless Steel Pro
(HGS7282 model shown)

Stainless Steel
(HGS7052 model shown)

Titanium
(HGS7132 model shown)

Model Number	**700 Series** HGS7282UC PRO	**700 Series** HGS71x2UC	**700 Series** HGS7052UC
Oven			
Color Options	SS Pro	SS/TI	SS
Touch & Turn® Oven Control	•	•	•
Bake	•	•	•
Broil	•	•	•
Automatic Convection Bake	•	•	•
Convection Broil			
Convection Roast	•	•	•
Convection Conversion	•	•	•
Dehydrate	•	•	•
Proof	•	•	•
Keep Warm Oven Mode	•	•	•
Sabbath Mode	•	•	•
Temperature Probe	•	•	
Genuine European Convection (With Third Heating Element)	•	•	•
Advanced Circulation System (ACS)	•	•	•
Full-Extension Telescopic Rack	1	1	
Standard Rack w/More Surface Area	2	2	2
Space Saving Half Rack			1
Wide View Oven Window	•	•	•
Cavity Volume	5.1 cu.ft.	5.1 cu.ft.	5.1 cu.ft.
40 W Incandescent Lights	2	2	2
Convection Assisted Self-Cleaning Oven	•	•	•
Full Stainless Steel Backguard	•		
Full Stainless Steel Oven Door	•		
CLEARTOUCH® Oven Controls	•	•	•
Rack Positions	6	6	6
Broiler Pan	•	•	•
Broil Burner BTU	12,500 BTU	12,500 BTU	12,500 BTU
Bake Burner BTU	17,000 BTU	17,000 BTU	17,000 BTU
Third Element Wattage	400	400	400
Lower Drawer			
Warming Drawer (Full Extension)	•	•	•
WD/Sabbath Mode	•	•	•
Cooktop			
Pro-style Continuous Matte Grates	•	•	•
Low-Profile/Flush-to-Countertop	•	•	•
POWERSIM Burner	RF	RF	RF
OPTISIM™ Burner	RR	RR	
Matte Burner Caps	•	•	•
Right Front Burner	1,300–16,000 BTU	1,300–16,000 BTU	1,300–16,000 BTU
Right Rear Burner	800–5,500 BTU	800–5,500 BTU	800–5,500 BTU
Left Front Burner	1,200–9,100 BTU	1,200–9,100 BTU	1,200–9,100 BTU
Left Rear Burner	1,400–12,500 BTU	1,400–12,500 BTU	1,400–12,500 BTU
Optimized Burner Spacing	•	•	•
Sealed Burners	•	•	•
Stainless Maintop	•	•	•
Nickel Finish Knobs	•	•	
Full Stainless Control Panel	•	•	
Technical			
120 V, 3-wire, 60 Hz	•	•	•
Powercord	•	•	•
Amps	15 A	15 A	15 A
Natural/LP Gas Convertible	•	•	•

Color Key:
The "x" in the model number indicates the color variant. Please use this color key:

8 = Stainless Steel Pro (SS Pro)
5 = Stainless Steel (SS)
3 = Titanium (TI)

Accessories	**Model Number**
Telescopic Rack	HEZ1040

®Electric Ranges are CSA approved.

Warranty Information: BSH warrants that its Ranges are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Range that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Evolution™ Dual-Fuel Range Specifications

Stainless Steel Pro
(HDS7282 model shown)

Evolution Dual-fuel Ranges

Our dual-fuel free-standing range combines the most advanced features from our gas cooktops and precision electric ovens for the ultimate in versatility and performance. A gas cooktop, featuring pro-style continuous grates and the **POWER**SIM® burner, is complemented by a Genuine European Convection oven with full-extension telescopic rack and built-in temperature probe to provide the best of both worlds.

Model Number	700 Series HDS7282U PRO	700 Series HDS71x2U	700 Series HDS7052(U or C)
Oven			
Color Options	SS Pro	SS/TI	SS
Touch & Turn® Oven Control	•	•	•
Bake	•	•	•
Broil	•	•	•
Automatic Convection Bake	•	•	•
Convection Broil	•	•	
Convection Roast	•	•	•
Convection Conversion	•	•	•
Dehydrate	•	•	•
Proof	•	•	•
Keep Warm Oven Mode	•	•	•
Sabbath Mode	•	•	•
Temperature Probe	•	•	
Genuine European Convection (With Third Heating Element)	•	•	•
Advanced Circulation System (ACS)	•	•	•
Full-Extension Telescopic Rack	1	1	
Standard Rack w/More Surface Area	2	2	2
Space Saving Half Rack			1
Wide View Oven Window	•	•	•
Cavity Volume	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.
40 W Incandescent Lights	2	2	2
Convection Assisted Self-Cleaning Oven	•	•	•
Full Stainless Steel Backguard	•		
Full Stainless Steel Oven Door	•		
CLEARTOUCH® Oven Controls	•	•	•
True Hidden Bake Element	•	•	•
Rack Positions	6	6	6
Broiler Pan	•	•	•
Broil Wattage	3,600 W	3,600 W	3,600 W
Bake Wattage	2,000 W	2,000 W	2,000 W
Third Element Wattage	1,100 W	1,100 W	1,100 W
Lower Drawer			
Warming Drawer (Full Extension)	•	•	•
WD/Sabbath Mode	•	•	•
Cooktop			
Pro-style Continuous Matte Grates	•	•	•
Low-Profile/Flush-to-Countertop	•	•	•
POWERSIM Burner	RF	RF	RF
OPTISIM™ Burner	RR	RR	
Matte Burner Caps	•	•	•
Right Front Burner	1,300–16,000 BTU	1,300–16,000 BTU	1,300–16,000 BTU
Right Rear Burner	800–5,500 BTU	800–5,500 BTU	800–5,500 BTU
Left Front Burner	1,200–9,100 BTU	1,200–9,100 BTU	1,200–9,100 BTU
Left Rear Burner	1,400–12,500 BTU	1,400–12,500 BTU	1,400–12,500 BTU
Optimized Burner Spacing	•	•	•
Sealed Burners	•	•	•
Stainless Maintop	•	•	•
Nickel Finish Knobs	•	•	
Full Stainless Control Panel	•	•	
Technical			
Dual Rated 208/240 V, 4-wire, 60 Hz	•	•	•
Amps	30 A	30 A	30 A
Natural/LP Gas Convertible	•	•	•

Stainless Steel Pro
(HDS7282 model shown)

Stainless Steel
(HDS7052 model shown)

Titanium
(HDS7132 model shown)

Over-The-Range **Microwaves**

Model Number	HMV930x
Appearance	
Color Options	SS/B/W/TI
Touch Control	•
Display Color	Green
Width	30"
Microwave Performance	
Microwave Power	1,000 W
Power Levels	10
Sensor Cook	•
Sensor Popcorn	•
Sensor Potato	•
Sensor Pizza	•
Sensor Vegetables	•
Sensor Reheat	•
Auto Defrost	•
Quick Defrost	•
Time Defrost	•
Ventilation Performance	
CFM Rate	300 CFM
Fan Speed	High/Low
Charcoal Filter	•
Dishwasher Safe Grease Filter	•
Convenience	
Turntable	12" Glass Recessed
Clock	•
Kitchen Timer	•
More / Less	•
Cooktop Light	2 x 40 W
Technical	
Overall Microwave Capacity	1.8 cu.ft.
Amps	15 A
Power Supply	120 V, 60 Hz

Color Key:

The "x" in the model number indicates the color variant. Please use this color key:

8 = Stainless Steel Pro (SS Pro)
5 = Stainless Steel (SS)
6 = Black (B)
2 = White (W)
3 = Titanium (TI)

Accessories	Model Number
Telescopic Rack	HEZ1040

®Electric Ranges are CSA approved.

Warranty Information: BSH warrants that its Ranges and OTR's are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Range or OTR that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Integra™ Range Specifications

Stainless Steel Pro
(HDI7282 model shown)

Electric and Dual-fuel Slide-in ranges

These ranges are available in a variety of configurations to suit your cooking needs and kitchen décor. Choose from a range of burner sizes as well as black, titanium and full stainless steel color variations. For a complete listing of options, refer to the adjacent features chart.

Model Number	**700 Series** HEI7282(U or C) PRO Electric	**700 Series** HEI71x2(U or C) Electric	**700 Series** HEI70x2(U or C) Electric	**700 Series** HDI7282(U or C) PRO Dual-Fuel	**700 Series** HDI71x2(U or C) Dual-Fuel	**700 Series** HDI70x2(U or C) Dual-Fuel
Oven						
Color Options	SS Pro	SS/TI	SS/TI	SS Pro	SS/TI	SS/TI
Touch & Turn® Oven Control	•	•	•	•	•	•
Bake	•	•	•	•	•	•
Broil	•	•	•	•	•	•
Automatic Convection Bake	•	•	•	•	•	•
Convection Broil	•	•		•	•	
Convection Roast	•	•	•	•	•	•
Convection Conversion	•	•	•	•	•	•
Dehydrate	•	•	•	•	•	•
Keep Warm Oven Mode	•	•	•	•	•	•
Sabbath Mode	•	•	•	•	•	•
Proof	•	•	•	•	•	•
Temperature Probe	•	•		•	•	
Genuine European Convection (With Third Heating Element)	•	•	•	•	•	•
Advanced Circulation System (ACS)	•	•	•	•	•	•
Cavity Volume (Largest in Slide-in Range Category*)	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.
True Hidden Bake Element	•	•	•	•	•	•
40 W Incandescent Lights	2	2	2	2	2	2
Convection Assisted Self-Cleaning Oven	•	•	•	•	•	•
Larger Surface Area Oven Racks	2	2	2	2	2	2
Space Saving Half Rack			1			1
Full Extension Telescopic Racks	1	1		1	1	
Wide View Oven Window	•	•	•	•	•	•
CLEARTOUCH® Oven Controls	•	•	•	•	•	•
Full Stainless Steel Oven Door	•			•		
Standard Broiler Pan	•	•	•	•	•	•
Rear Finishing Strip (Included)	•	•	•	•	•	•
Broil Wattage	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W
Bake Wattage	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W
Third Element Wattage	1,100 W	1,100 W	1,100 W	1,100 W	1,100 W	1,100 W
Lower Drawer						
Storage Drawer (Full Extension)			•			•
Warming Drawer (Full Extension)	•	•		•	•	
WD Sabbath Mode	•	•		•	•	
Cooktop – Electric						
12"/9"/6" Triple Element (2,700 W)	RF	RF				
5"/7"/9" Triple Element (2,500 W)			RF			
5"/8" Dual Element (1,900 W)	LR	LR				
6" Single Element (1,500 W)	LF	LF				
6" Single Element (1,200 W)	RR	RR	RR			
7" Single Element (1,800 W)			LF, LR			
Bridge Element (800 W)			•			
True White Cooktop (Titanium only)		•	•		•	•
Stainless Steel Cooktop Frame	•	•	•	•	•	•
Nickel Finish Knobs	•	•		•	•	
Full Stainless Steel Control Panel	•			•		
Cooktop – Gas						
Pro-style Continuous Matte Grates				•	•	•
Gas-on-Glass Cooktop Design				•	•	•
POWERSIM® Burner				3	3	1
OPTISIM™ Burner				1	1	1
Right Front Burner				1,300–16,000 BTU	1,300–16,000 BTU	1,300–16,000 BTU
Right Rear Burner				800–5,500 BTU	800–5,500 BTU	800–5,500 BTU
Left Front Burner				1,300–12,500 BTU	1,300–12,500 BTU	1,300–12,500 BTU
Left Rear Burner				1,300–12,500 BTU	1,300–12,500 BTU	1,300–12,500 BTU
Sealed Burners				•	•	•
Technical						
Dual Rated 208/240 V, 4-wire, 60 Hz	•	•	•	•	•	•
Amps	40 A	40 A	40 A	30 A	30 A	30 A
Approvals	US/Canada	US/Canada	US/Canada	US/Canada	US/Canada	US/Canada
Natural/LP Gas Convertible				•	•	•

*All measurements are according to AHAM Standards.

Color Key:
The "x" in the model number indicates the color variant. Please use this color key:

8 = Stainless Steel Pro (SS Pro)
5 = Stainless Steel (SS)
3 = Titanium (TI)

Stainless Steel Pro
(HDI7282U model shown)

Stainless Steel
(HDI7152U model shown)

Titanium
(HEI7132U model shown)

Accessories	**Model Number**
Telescopic Rack	HEZ1040
Backsplash (Wall Installation)	HEZ1060

CSA®Electric Ranges are CSA approved.

Warranty Information: BSH warrants that its Ranges are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Range that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.



Life made **cooler.**

Model shown: Evolution™ 800 Series (B20CS80SNS)

Whether preparing a holiday feast for the entire family or sneaking a late-night scoop of ice cream for yourself, your family deserves the freshest food. And because we understand that families are as different as snowflakes, we offer innovative cooling solutions that can suit virtually any need. Like our revolutionary Integra® Refrigeration, which gives you ultimate flexibility in the kitchen. And Bosch Evolution™ refrigerators, with cutting-edge features that bring together convenience and performance in an ultra-cool package. Either way, Bosch refrigerators help you ensure your family gets the best, always. **Invented for life.**

Flexible **performance.**

Bosch Integra Refrigeration introduces a new concept in cooling–customization. Fully integrated, built-in refrigerators, freezers, French door and 2-door bottom-freezers and wine storage in various sizes offer the ultimate in storage capacity and flexibility. This enables you to create a perfectly customized system to fit both your kitchen and your family's needs. Advanced technologies like the **MARKET**FRESH™ food preservation system help keep your food at the peak of freshness. And like all Bosch appliances, they are designed to keep energy consumption to a minimum.

Models shown: Integra® 30" Freezer (B30IF70SSS) left, Integra 24" Refrigerator (B24IR70SSS) Middle, Integra 24" Wine Cooler (B24IW50SLS) Right



Flexibility

With Bosch Integra Refrigeration, you can customize your kitchen to meet your family's needs. Large families have the option to choose higher capacity units, while small families can choose a 24" refrigerator and 18" freezer for a more traditional configuration.

MARKETFRESH **Food Preservation System**

This integrated system helps keep all of your food at the peak of freshness. Each unit is comprised of its own compressor and evaporator, which eliminates the possibility of odor transfer between two units. Also, an additional cooling channel in the refrigerator door keeps items in the door bins just as cold as the items on the shelves. Finally, we added an adjustable, temperature-controlled drawer in which you can store perishable items to keep them fresh longer.

Energy Efficient

Every Bosch Integra refrigerator and freezer is ENERGY STAR® qualified. With efficient features, such as an alarm indicating the door is ajar, Vacation Mode and Economy Mode, Bosch can significantly reduce your energy bills.

Cool and **convenient.**

We've engineered our Integra® Refrigeration with countless features to make life easier and your kitchen more efficient. Smart design details like Bosch's **ANTI**STICK™ ice system and the ingenious **OPTI**FLEX™ hinge make everyday use a pleasure. In addition, the Integra boasts the legendary quiet operation you find in all Bosch appliances, keeping background noise to a minimum.

Quiet

Bosch engineering does it again—quiet operation with maximum performance. Bosch Integra Refrigeration performs powerfully, and runs nearly silent so you can cook, eat and entertain in the kitchen.

OPTIFLEX **Hinge**

Designed to open out and away from the cabinetry, this ingenious hinge construction allows doors to be mounted flush and open to 115 degrees without touching or nicking surrounding cabinets. You also have full access to interior drawers at just a 90˚ door opening. Plus, the **OPTI**FLEX hinge can support up to 220 lbs. of door weight, which gives you the flexibility to apply custom paneling.

ANTISTICK **Ice System**

Dispensing ice and water is effortless with Integra. Its innovative **ANTI**STICK ice system periodically rotates ice to prevent clumping, so you can quickly and easily access all the available ice in your freezer.

Convenient Water Dispensing System

Bosch Integra refrigerators feature a fold-out pitcher flap that accepts even large pitchers. And when you're entertaining, the **ACTIVE**CHILL™ water replenishment system helps make sure there's always plenty of filtered, ice-cold water on hand for you and your guests.

Model shown: Integra® 3-Door Bottom-Freezer (B36IT70SNS)

Integra® Refrigeration Specifications

Integra Refrigerators and Freezers
One of the most ingenious new designs on the market, Bosch Integra Refrigeration brings an unprecedented level of customization to your kitchen. A variety of features such as **ANTI**STICK™ ice system to prevent ice clumping, **MAX**BRIGHT™ halogen lighting and the **MARKET**FRESH™ Food Preservation System make operation effortless and keep food at optimal freshness.

Models
Integra Refrigerator
(30") B30IR70S(R,L)S (Stainless Steel)*
(30") B30IR70NSP (Custom Panel)
(24") B24IR70S(R,L)S (Stainless Steel)*
(24") B24IR70NSP (Custom Panel)

Models
Integra Wine Cooler
(24") B24IW50S(R,L)S (Stainless Steel)*
(24") B24IW50NSP (Custom Panel)
(18") B18IW50S(R,L)S (Stainless Steel)*
(18") B18IW50NSP (Custom Panel)

Models
Integra Freezer
(30") B30IF70S(R,L)S (Stainless Steel)*
(30") B30IF70NSP (Custom Panel)
(24") B24IF70S(R,L)S (Stainless Steel)*
(24") B24IF70NSP (Custom Panel)
(24") B24ID80S(R,L)S with dispenser (Stainless Steel)*
(24") B24ID80N(R,L)P with dispenser (Custom Panel)
(18") B18IF70S(R,L)S (Stainless Steel)*
(18") B18IF70NSP (Custom Panel)
(18") B18ID80S(R,L)S with dispenser (Stainless Steel)*
(18") B18ID80N(R,L)P with dispenser (Custom Panel)

Models
Integra Bottom-Freezer
(36") B36IT70SNS 3-Door (Stainless Steel)*
(36") B36IT70NNP 3-Door (Custom Panel)
(36") B36IB70S(R,L)S 2-Door (Stainless Steel)*
(36") B36IB70NSP 2-Door (Custom Panel)

R – Right door swing, L – Left door swing

*Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

Important: To install Integra Refrigeration properly, visit www.boschappliances.com for important information about required accessory kits for specific installations.

Model Number	**Refrigerator** B24IR70xxx/B30IR70xxx	**Freezer** B18IF70xxx/B18ID80xxx B24IF70xxx/B24ID80xxx B30IF70xxx	**Bottom-Freezer** B36IT70xxx/B36IB70xxx	**Wine Cooler** B18IW50xxx/B24IW50xxx
Outlook				
Color Options	SS/CP	SS/CP	SS/CP	SS/CP
Widths Available	24", 30"	18", 24", 30"	36" (3-Door or 2-Door)	18", 24"
Door Swing	Reversible	Order Right or Left w/Dispenser, Reversible w/o Dispenser	2-Door Reversible	Order Right or Left w/Dispenser, Reversible w/o Dispenser
Capacity				
30" Refrigerator Unit	17.1 cu.ft.			
24" Refrigerator Unit	13.1 cu.ft.			
30" Freezer Unit		15.6 cu.ft.		
24" Freezer Unit		12.0 cu.ft.		
18" Freezer Unit		8.4 cu.ft.		
36" Refrigerator/Freezer Unit			19.7 cu.ft. (Fridge 13.9, Freezer 5.8)	
24" Wine Unit				98 Bottles
18" Wine Unit				70 Bottles
Freezer Compartment				
Shelves		2		
Drawers		2 Full Extension	2 Full Extension	
Door Bins		5/2		
Fresh Food Compartment				
Shelves	3		3	14
Drawers	2 Full Extension		3 Full Extension	
Door Bins	4		6 (3-door), 3 (2-door)	
Shelf Divider			2 (2-door)	
Wine Compartment				
Shelves				Removable, Roller Shelves
Display Shelf				•
General Features				
MAXBRIGHT™ Lighting System	2 Upper Spot Lights, 2 Halogen Side Column Lights	2 Upper Spot Lights	2 Upper Spot Lights, 2 Halogen Side Column Lights, 2 Drawer Lights	1 Halogen Light, 1 LED Presenter Light
Temperature Controlled Drawer	1			
Carbon Air Filter	•		•	•
Cool Door	•			
SUPERCOOL™	•		•	
SUPERFREEZE™		•	•	
Economy Mode	•	•	•	
Vacation Mode	•	•	•	•
Sabbath Mode	•	•	•	•
Electronic Controls	•	•	•	•
Water Filter		•	•	
Water Change Indicator		•	•	
Internal Filtered Ice Maker		•	•	
ANTISTICK™		Dispenser Units		
Dispenser on/off		Dispenser Units		
External Cubed/Crushed Ice and Water Dispenser		Dispenser Units		
Glass Door				UV Protection
DUALTEMP™			•	2 Fully Adjustable Zones
Temperature Settings	35 to 46˚F	-9 to 7˚F	35 to 46˚F/-9 to 7˚F	37 to 64˚F
ACTIVECHILL Water Replenishment		Dispenser Units		
Special Features				
Fully Integrated	•	•	•	•
OPTIFLEX™ Hinge	•	•	•	•
Compressor	•	•	2	•
Evaporator	•	•	2	2
ENERGY STAR® Qualified	•	•	•	
Pitcher Holder Flap		Dispenser Units		
Technical Data				
Voltage/Frequency	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz
Energy Consumption	278 kWh, 285 kWh	332 kWh, 446 kWh, 482 kWh	435 kWh, 478 kWh	365 kWh, 380 kWh
Wattage*	180 W, 180 W	367 W, 444 W, 504 W	588 W, 588 W	92 W, 102 W

SS – Stainless Steel, CP – Custom Panel

*15 amp circuit recommended.

Warranty Information: BSH warrants that its Refrigerators are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Refrigerator that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts. In the second through fifth years from the date of purchase, when this refrigerator is operated and maintained according to instructions attached to or furnished with the product, Bosch will pay for factory specified replacement parts and repair labor costs to correct defects in materials or workmanship in the sealed refrigeration system. These parts are: compressor, evaporator, condenser, dryer, and connecting tubing. Service must be performed by a Bosch designated service company.

Integra® Accessories

Model shown: Integra® 3-Door Bottom-Freezer (B36IT70SNS)

Model Number	Description
BOHANDL100	Bosch Handle
BOSS18DDL1	18" Stainless Steel Door, Ice/Water Dispenser, Left
BOSS18DDR1	18" Stainless Steel Door, Ice/Water Dispenser, Right
BOSS18DRL1	18" Stainless Steel Door, Left
BOSS18DRR1	18" Stainless Steel Door, Right
BOSS24DDL1	24" Stainless Steel Door, Ice/Water Dispenser, Left
BOSS24DDR1	24" Stainless Steel Door, Ice/Water Dispenser, Right
BOSS24DRL1	24" Stainless Steel Door, Left
BOSS24DRR1	24" Stainless Steel Door, Right
BOSS30DRL1	30" Stainless Steel Door, Left
BOSS30DRR1	30" Stainless Steel Door, Right
BOSS362DL1	2-Door Bottom Freezer Stainless Steel Door, Left
BOSS362DR1	2-Door Bottom Freezer Stainless Steel Door, Right
BOSS363D10	3 Door Bottom Freezer Stainless Steel Door
BOSS18DWR1	18" Stainless Steel Wine Door, Right
BOSS18DWL1	18" Stainless Steel Wine Door, Left
BOSS24DWR1	24" Stainless Steel Wine Door, Right
BOSS24DWL1	24" Stainless Steel Wine Door, Left
BOSEALKIT1	Side by Side Kit
BOHEATKIT1	Extreme Heat Kit
BOFNGRXL10	Extra Long Finger Protection
BOFPCONBF1	Front Panel Connection Bottom Freezer
BOFPCONSS1	Front Panel Connection Single Door
BORPLFTR10	Replacement Filter - Bosch Built-In
BOSCNFTR10	Screen Filter
BOTK18FRF1	18" Toekick, Right Hinge, Freezer with Filter
BOTK18FLF1	18" Toekick, Left Hinge, Freezer with Filter
BOTK18RR10	18" Toekick, Right Hinge – Wine
BOTK18RL10	18" Toekick, Left Hinge – Wine
BOTK18DRF1	18" Toekick, Ice/Water Dispenser, Right Hinge
BOTK18DLF1	18" Toekick, Ice/Water Dispenser, Left Hinge
BOTK24FRF1	24" Toekick, Right Hinge, Freezer with Filter
BOTK24FLF1	24" Toekick, Left Hinge, Freezer with Filter
BOTK24RR10	24" Toekick, Right Hinge – Refrigerator/Wine
BOTK24RL10	24" Toekick, Left Hinge – Refrigerator/Wine
BOTK24DRF1	24" Toekick, Ice/Water Dispenser, Right Hinge
BOTK24DLF1	24" Toekick, Ice/Water Dispenser, Left Hinge
BOTK30FRF1	30" Toekick, Right Hinge, Freezer with Filter
BOTK30FLF1	30" Toekick, Left Hinge, Freezer with Filter
BOTK30RR10	30" Toekick, Right Hinge – Refrigerator
BOTK30RL10	30" Toekick, Left Hinge – Refrigerator
BOTK36BF10	36" Bottom Freezer Toekick with Filter



Model shown: Evolution™ Refrigerator (B20C580SNW)

Evolution™ Refrigeration

Performance you can use.

Bosch Evolution refrigerators deliver the impressive performance that our home appliances are known for throughout the world. Technologies like the temperature controlled drawer and **SUPER**COOL™ keep food fresher longer, while advanced engineering makes our refrigerators quieter, more efficient and economical. Add in premium features, and it's easy to see why Evolution refrigerators are the perfect addition to any contemporary kitchen.

SUPERCOOL

To help prevent food spoilage of already-cooled items when placing newly purchased goods next to them and to quickly cool new items, this feature minimizes temperature fluctuations by temporarily bringing the refrigerator to its coolest temperature setting with just the touch of a button.

SUPERFREEZE™

This feature works similarly to **SUPER**COOL, helping to prevent food spoilage by keeping already-frozen items cold when placing newly purchased goods next to them, and cooling new items as quickly as possible. It does this by minimizing temperature fluctuations with the touch of a button—temporarily dropping the freezer unit to its lowest temperature setting.

Temperature Controlled Drawer (TCD)

This drawer allows you to maintain a user-adjustable temperature independent of the refrigerator's interior temperature. With three different settings, depending on the type of food being stored, even highly perishable items can stay fresher longer and maintain optimum flavor.

Multi-Flow Shower Cooling System

By directing airflow through the interior compartment, this feature helps to eliminate warm and cold spots for more even and uniform cooling.

Bosch Evolution Refrigerators are backed by The *Good Housekeeping* Seal — a two-year limited warranty.

Convenience you can appreciate.

Bosch appliances are all about making the home a more pleasant place to live, and Evolution™ refrigerators are certainly no exception. We've designed them with multiple convenience features, like adjustable shelves to maximize interior storage, an external ice and water dispenser, and even an alarm to signal you when the door is left open. With a Bosch Evolution refrigerator in the house, life is a lot cooler.

Door Alarm
To prevent energy waste and accidental food spoilage, this handy alarm gently notifies you when you've left the door open for over a minute.

Adjustable Tempered Glass Shelves
These shelves adjust up and down for maximum storage flexibility, and slide out for easy retrieval of food items stored in the back. Their spillproof design makes cleanup easy, while tough tempered glass resists cracking and chipping.

Exterior Ice and Water Dispenser
This convenient dispenser serves fresh, filtered water and both crushed and cubed ice on demand. Its large opening accommodates many cup and glass sizes easily.

Large Drawer Storage
Three large see-through drawers allow you to easily store, locate and retrieve food items. One-piece drawer construction allows for easy cleaning.

Dispenser Lock
This feature allows you to lock the dispenser controls, preventing small children from operating them or making adjustments without adult supervision.

Model shown: Evolution™ Refrigerator (B20C580SNS)

Evolution™ Refrigeration Specifications

Stainless Steel
(B20CS80SNS model shown)

Evolution Refrigerators

Bosch refrigerators are a stylish and technologically sophisticated food storage solution for today's modern kitchens. Their sleek European design features hidden hinges for a built-in look, brushed aluminum handles (800 Series only) and color-matched sides. Advanced technology like the Multi-flow Shower Cooling System ensures that food stays at the peak of freshness longer, while the practical external temperature control allows you to adjust the temperature while the door is closed to save energy.

Model Number	**Evolution 800 Series** B20CS80SNx	**Evolution 500 Series** B20CS50SNx
Outlook		
Color Options	SS/B/W	SS/SSL/B/W
Capacity		
Freezer	7.48 cu.ft.	7.48 cu.ft.
Fridge	12.53 cu.ft.	12.71 cu.ft.
Total	20.01 cu.ft.	20.19 cu.ft.
Freezer Compartment		
Shelves	3 Adjustable, Slide-Out, Glass	3 Adjustable, Slide-Out, Glass
Drawers	2	2
Door Bins	4 (3 Tilt-Out)	4 (3 Tilt-Out)
Ice Maker	•	•
Refrigeration Compartment		
Shelves	3 Adjustable, Slide-Out, Spill-Proof Glass	3 Adjustable, Slide-Out, Spill-Proof Glass
Egg Tray	•	•
Wine Shelf (Silver Metallic Coated)	•	
Gallon Bin	1	1
Non-Gallon Bin	3	3
Dairy Bin	1	1
Drawers	3	3
TCD (Temp. Controlled Drawer)	•	
General Features		
Multi-flow Shower Cooling System	•	•
Electronic Temperature Control	Exterior Dispenser	Exterior Dispenser
Dispenser	Big Opening, Soft Touch	Big Opening, Soft Touch
SUPERCOOL™	•	•
SUPERFREEZE™	•	•
Dispenser Water and Crushed/Cubed Ice	•	•
Water Filter Reset	•	•
Ice Maker Lock	•	•
Dispenser Control Lock	•	•
Door Open Alarm	•	•
Handle	Stainless Look Handle On All Color Options	Matching Handle On All Color Options
Special Features		
Hidden Hinge	•	•
Color Matched Sides	•	•
Easy Moving Handles on Top Rear and Bottom	•	•
Adjustable Rollers (2 ea. in front)	•	•
Technical Data		
Voltage/Frequency	115 V/60 Hz	115 V/60 Hz
Energy Consumption	550 kWh	550 kWh
Amps	15 A	15 A

Color Key:
The "x" in the model number indicates the color variant.
Please use this color key:

S = Stainless Steel (SS)
I = Stainless Steel Look (SSL)
B = Black (B)
W = White (W)

Stainless Steel
(B20CS50SNS model shown)

Stainless Look
(B20CS50SNI model shown)

Black w/Stainless Look Handle
(B20CS80SNB model shown)

Black w/Black Handle
(B20CS50SNB model shown)

White w/Stainless Look Handle
(B20CS80SNW model shown)

White w/White Handle
(B20CS50SNW model shown)

Warranty Information: BSH warrants that its Refrigerators are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Refrigerator that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts. In the second through fifth years from the date of purchase, when this refrigerator is operated and maintained according to instructions attached to or furnished with the product, Bosch will pay for factory specified replacement parts and repair labor costs to correct defects in materials or workmanship in the sealed refrigeration system. These parts are: compressor, evaporator, condenser, dryer and connecting tubing. Service must be performed by a Bosch designated service company.

A **better** way to do laundry.

Model shown: Nexxt® 800 Series Washer (WFMC8401)

Bosch washers and dryers have been steadily advancing and improving since we introduced our first front-loading models in Europe over 50 years ago. Today, our machines are so advanced that they are the most energy efficient line of laundry products manufactured in the U.S. Our washers use 76% less water and almost 72% less energy than conventional top-loading machines, while offering superior cleaning results and quieter operation. This powerful combination of efficiency, performance, value and engineering is what makes Bosch washers and dryers the best you'll ever own. **Invented for life.**

Caring for the environment and your clothes.

Bosch washers are the most efficient in the country. In fact, 900 billion gallons of water would be saved if everyone buying a new washer in 2007 purchased a Bosch washer rather than a conventional washer. Thanks to features like **ECO**SENSOR™ and **ECO**ACTION,™ our laundry pair delivers unrivalled efficiency. Plus, every one of our washers is ENERGY STAR® qualified, because we are committed to helping preserve our planet's resources, one home at a time.

Models shown: Ne**xx**t® 800 Series Washer (WFMC8401) and Dryer (WTMC8321)

ECOACTION

For ultimate efficiency, Bosch washers offer **ECO**ACTION, which adjusts water temperature and cycle length with the touch of a button to reduce energy consumption up to 20% per cycle.

ECOSENSOR

Bosch dryers offer this innovative monitoring system that delivers precise drying results, unrivalled efficiency and gentle care for your clothes. As your clothes dry, it reduces heat, so your laundry dries efficiently and without any unnecessary energy usage.

ENERGY STAR® Qualified

All Bosch laundry machines are ENERGY STAR® qualified, which has helped make Ne**xx**t washers the most efficient models on the market. They reduce energy consumption by 72% and water usage by 76%, compared to conventional top-loading models.

Water Efficiency

Bosch washers have sensors that detect the soil level in the water and adjust the amount of water used in the wash cycle. This helps to reduce water usage by up to 76%.

Quiet performance.

Our washers feature a virtually silent brushless motor, and our dryers have special sound-minimizing technology. Together, they help create the quietest laundry pair in the U.S.* So quiet, that they easily adapt to the evolving trend towards laundry machines in bedrooms and bedroom-adjacent closet spaces, rather than hiding them in basements or laundry rooms. This prevents you from having to carry heavy loads from one room to another, so doing laundry is more convenient than ever before.

Nearly Silent Wash System

By combining a high-quality brushless motor system, a low-friction belt drive and specially engineered housing for additional sound insulation, Bosch washers are the quietest in the industry.

Exceptionally Quiet Drying

Our dryers are quieter than ever thanks to Bosch's development of specially designed noise-dampening technology. This innovation dramatically reduces sound output, changes the frequency of the sound and helps bring you the quietest laundry pair in the U.S.*

*Front-loading category up to 3.81 cubic feet.

Models shown: Nexxt® 500 Plus Series Washer (WFMC5321) and Dryer (WTMC5321)

Gentle care your clothes deserve.

Bosch washers and dryers offer gentle care for your laundry because we understand that caring for your family's clothes is one way you care for your family. So we have combined features that deliver superior performance as well as gentleness such as **SENSO**TRONIC® PLUS, specially designed paddles and drying methods that protect the integrity of fabrics, without compromising cleanliness.

Models shown: Ne**xx**t® 500 Plus Series Washer (WFMC5305) and Dryer (WTMC5325)

SENSOTRONIC **PLUS**

Tender loving care starts with technology. So we offer **SENSO**TRONIC PLUS, a network of sensors that analyze your wash, determining load size, temperature and more, then adjusts levels automatically to care gently for everything from wool to silk.

ARCHIE® Paddles

As your wash gently tumbles, Bosch's patented **ARCHIE** paddles cascade water from high above, rinsing away suds and giving your laundry a complete, gentle clean, without the use of a harmful agitator. Plus, an ingenious inclined drum helps to ensure that not a single shirt goes unturned.

Internal Water Heater

Many washer heaters operate on timers, which waste energy by heating longer than needed. Bosch washers have thermostats that monitor and automatically adjust and maintain the water to precisely the right temperature. So your clothes are washed thoroughly, efficiently and gently.

Gentle Drying

Bosch dryers blow a high volume of air at lower temperatures rather than overheating clothes like most dryers do. So your clothes are dried perfectly, keeping them beautiful for years to come, while using less energy than traditional drying methods.

Exceptional convenience, superior **performance.**

We work hard to make doing laundry the best it can be. With washers and dryers designed for superior performance and convenience that truly make a difference in day-to-day life. We have developed new wash and dry cycles, like our Jeans cycle and Comforter cycle that make doing laundry easier than ever. And since we are never content to compromise, our laundry machines are equipped with performance-oriented features such as extra-fast cycles and sanitization cycles which prove our machines are as serious about performance as they are about convenience.

XXTRASANITARY™ **Cycle**
Using a thermostat-controlled, intelligent sensor for improved precision, this innovative cycle heats up the water to 170°F and maintains this temperature for exactly 3 minutes. After killing 99.9% of most common household bacteria, the water temperature is reduced to a gentler 150°F to prevent fabric breakdown. Clothes are thoroughly cleaned and sanitized with no damage to the fibers.

KIDSCARE™ **Cycle**
The littlest people in the house usually account for the toughest stains. This cycle heats the wash water up to 150°F to remove even the most stubborn stains with ease.

Quick Wash 25 Cycle
When you're running short on time and you need clean clothes fast, this convenient cycle cleans lightly soiled loads in as little as 25 minutes.

Jeans Cycle
Bosch has engineered a special wash program designed especially to care for denim. It features specific temperature and spin profiles to prevent fading, which prolongs the life of the fabric.

AQUAGUARD™ **Cycle**
This wash cycle has been engineered to waterproof ski apparel, rain gear and other breathable outerwear. Simply pour your waterproofing product into the dispenser chamber, select the **AQUA**GUARD program and renew the waterproof layer of your garment.

LIMITED WARRANTY TO CONSUMERS
Good Housekeeping
Promises
REPLACEMENT OR REFUND IF DEFECTIVE

Bosch Ne**xx**t Washers and Dryers are backed by The *Good Housekeeping* Seal –a two-year limited warranty.

Models shown: Ne**xx**t® 100 Series Washer (WFMC1001) and Dryer (WTMC1301)

Nexxt® **Washer** Specifications

Nexxt **800 Series Washer** (Available in Silver/White Duo-Tone and White)

Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2007 Federal Standards • Uses 72% Less Energy and 76% Less Water than Conventional Top-Loading Machines • **SENSO**TRONIC® II PLUS Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 1,200 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage • **ECO**ACTION™ Saves Up to 20% in Energy Usage Per Cycle	• 54 dBA Rating	• Snag-Free Stainless Steel Inclined Drum • Up to 5 Rinse Cycles • 15 Individually Tailored Washing Programs • **XXTRA**SANITARY™ Cycle Kills 99% of Common Household Bacteria • **AQUA**GUARD™ Waterproofing Cycle • Refresh Cycle • 3 ARCHIE® Paddles Lift & Rotate Clothes While Cascading Water to Ensure a Complete & Even Clean • Jeans Program • Comforter Program

Nexxt **500 Plus Series Washer** (Available in Champagne/White Duo-Tone, White and Silver)



Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2007 Federal Standards • Uses 72% Less Energy and 76% Less Water than Conventional Top-Loading Machines • **SENSO**TRONIC PLUS Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 1,100 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage • **ECO**ACTION Saves Up to 20% in Energy Usage Per Cycle	• 54 dBA Rating	• Snag-Free Stainless Steel Inclined Drum • Up to 5 Rinse Cycles • 15 Individually Tailored Washing Programs • Quick Wash 25 Cycle • Refresh Cycle • **XXTRA**SANITARY Cycle Kills 99% of Common Household Bacteria • 3 ARCHIE Paddles Lift & Rotate Clothes While Cascading Water to Ensure a Complete & Even Clean • Jeans program

Nexxt **500 Series Washer** (Available in White and Silver)



Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2006 Federal Standards • Uses 72% Less Energy and 76% Less Water Than Conventional Top-Loading Models • **SENSO**TRONIC Plus Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 1,100 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage	• 54 dBA dBA Rating	• Snag-Free Stainless Steel Inclined Drum • Up To 5 Rinse Cycles • 15 Individually Tailored Washing Programs • Quick Wash 25 Cycle • **XXTRA**SANITARY Cycle Kills up to 99% of Common Household Bacteria • 3 ARCHIE Paddles Lift & Rotate Clothes While Cascading Water to Ensure a Complete & Even Clean

Nexxt® **300 Series Washer**

Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2006 Federal Standards • Uses 72% Less Energy and 76% Less Water than Conventional Top-Loading Models • **KIDS**CARE™ Cycle for Tough Stains • **SENSO**TRONIC® Plus Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 1,000 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage	• 56 dBA Rating	• Snag-Free Stainless Steel Inclined Drum • Up to 5 Rinse Cycles • 15 Individually Tailored Washing Programs • 3 ARCHIE® Paddles Lift & Rotate Clothes while Cascading Water to Ensure a Complete & Even Clean

Nexxt **100 Series Washer**



Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2006 Federal Standards • Uses 72% Less Energy and 76% Less Water than Conventional Top-Loading Models • **SENSO**TRONIC Plus Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 800 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage	• 58 dBA Rating	• Snag-Free Stainless Steel Inclined Drum • Up to 5 Rinse Cycles • 11 Individually Tailored Washing Programs • 3 ARCHIE Paddles Lift & Rotate Clothes while Cascading Water to Ensure a Complete & Even Clean

Nexxt® **Washer** Specifications

Nexxt 800 Series (WFMC8401UC model shown)

Model Number	**800 Series** WFMC840xUC	**500 Plus Series** WFMC530xUC	**500 Series** WFMC330xUC	**300 Series** WFMC2201UC	**100 Series** WFMC1001UC
Core Features					
Color Options	SW/W	C*/W/S	W/S	W	W
Capacity	4.0 cu.ft.	4.0 cu.ft.	4.0 cu.ft.	3.81 cu.ft.	3.81 cu.ft.
Spin Speed	1,200 rpm	1,100 rpm	1,100 rpm	1,000 rpm	800 rpm
Water and Energy Efficiency					
Energy Use	151 kWh	151 kWh	182 kWh	165 kWh	146 kWh
Modified Energy Factor (MEF)	2.55	2.47	2.4	2.43	2.24
Water Factor (WF)	4.13	4.55	4.24	4.34	4.31
Annual Water Consumption	5,363 gal	5,904 gal	5,508 gal	5,631 gal	5,594 gal
Silence Rating					
dBA	54 dBA	54 dBA	54 dBA	56 dBA	58 dBA
Design Elements					
Dial	Chrome	Chrome	White/Silver	White	White
Door Handle Strip	Chrome	Chrome	White/Silver	White	White
Bull's Eye Ring	Chrome (Outer Ring)	Chrome (Outer Ring)	Gray (Inner Ring)	Gray (Inner Ring)	Gray (Inner Ring)
Button Color	Chrome	Chrome	White/Silver	White	White
Features					
Internal Water Heater for Guaranteed Temperatures	•	•	•	•	
Cycles					
Regular/Cotton – Cold, Warm, Hot, Temp Boost	Cold, Warm, Hot	Cold, Warm, Hot	•	Cold, Warm, Hot	Cold, Warm, Hot
Perma Press – Cold, Warm, Hot	•	•	•	Cold, Warm	•
Delicates/Silk	•	•	•	•	•
Hand Wash	•	•	•	•	•
Soak		•	•	•	•
Drain			•	•	•
Spin			•	•	•
Wool	•	•	•		
KIDSCARE™	•	•		•	
Quick Wash 25		•	•	•	
XXTRASANITARY™ (170°)	•	•	•		
Jeans	•	•			
Comforter	•				
AQUAGUARD™	•				
Refresh	•	•			
Optional Settings					
ECOACTION™	•	•			
Bleach			•	•	•
Rinse Plus	•	•	•	•	•
Heavy Duty	•	•	•	•	
Pre-Soak	•				
Reduced Ironing	•				
Time Delay	24 hr	19 hr	19 hr	19 hr	3-6-9-12 hr
Technical Data					
Supply Voltage	120 V	120 V	120 V	120 V	120 V
Frequency	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz
Amperage	15 A	15 A	15 A	15 A	15 A
Heating Wattage	1,000 W	1,000 W	1,000 W	1,000 W	NONE
UL Listed	•	•	•	•	•

Color Key:
The "x" in the model number indicates the color variant. Please use this color key:

800 Series
1 = Silver/White Duo-Tone (SW)
0 = White (W)

500 Plus and 500 Series
C = Champagne/White Duo-Tone (C)*
1 = White (W)
S = Silver (S)

300 and 100 Series
1 = White (W)

* Available January 2008.

Nexxt 800 Series with 15" Pedestals (WTZ1500P)

Nexxt 500 Plus Series with 15" Pedestals (WTZ1500C)*

Nexxt 500 Plus Series with 8" Pedestals (WTZ1295)

Nexxt 500 Series with 8" Pedestals (WTZ1295S)

energy
LEARN MORE AT
energystar.gov

Accessories	Model Number
8" Pedestal White	WTZ1295
8" Pedestal Silver	WTZ1295S
8" Pedestal Silver/White Duo-Tone	WTZ1295P
15" Pedestal White	WTZ1500
15" Pedestal Silver	WTZ1500S
15" Pedestal Silver/White Duo-Tone	WTZ1500P
15" Pedestal Champagne/White Duo-Tone*	WTZ1500C

Washers and Dryers are UL approved. Ne**xx**t Laundry Systems warranty information: BSH warrants that its laundry products are free from defects in materials and workmanship for a period of 1 year for labor, 2 years for parts, 2 years on stainless steel drum and all electronic components including motor (parts only). Certain limitations apply. See manufacturer's limited warranty for details. Warranty only applies to manufacturer's defective merchandise, and does not cover third-party damages to the product, including, without limitation, damages incurred in shipping, installation, servicing, or through consumer abuse or negligence. This warranty is the sole and exclusive remedy for any defective product. Manufacturer's only obligation is to repair defective product or parts thereof; manufacturer has no obligation to replace product that is capable of being repaired.

Nexxt® **Dryer** Specifications

Nexxt **800 Series Dryer** (Available in Silver/White Duo-Tone and White)

Efficiency	Quiet Performance	Gentle Care	
• **ECO**SENSOR™ Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 64 dBA Rating • Noise Dampening Technology	• 15 Tailored Drying Programs • Up to 3-hours Extended **WRINKLE**BLOCK® • Snag-Free Stainless Steel Drum • High Air Volume, Low Heat Drying Philosophy Protects Fibers from Heat Damage	• **SYNCHRO**TECHNOLOGY® Coordinates Dryer Cycle Time with Washer Cycle Time – Preventing Wet Clothes From Waiting in Washer • 3 Asymmetric Paddles for 3-Dimensional Tumbling of Clothes for Faster, Gentler Drying

Nexxt® **500 Series Dryer** (Available in White and Silver)

Efficiency	Quiet Performance	Gentle Care	
• **ECO**SENSOR™ Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 67 dBA Rating • Noise Dampening Technology	• 11 Tailored Drying Programs • 1-hour Extended **WRINKLE**BLOCK® • Snag-Free Stainless Steel Drum • High Air Volume, Low Heat Drying Philosophy Protects Fibers from Heat Damage	• **SYNCHRO**TECHNOLOGY® Coordinates Dryer Cycle Time with Washer Cycle Time – Preventing Wet Clothes From Waiting in Washer • 3 Asymmetric Paddles for 3-Dimensional Tumbling of Clothes for Faster, Gentler Drying

Nexxt **500 Plus Series Dryer** (Available in Champagne/White Duo-Tone, White and Silver)

Efficiency	Quiet Performance	Gentle Care	
• **ECO**SENSOR Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 67 dBA Rating • Noise Dampening Technology	• 11 Tailored Drying Programs • 1-hour Extended **WRINKLE**BLOCK • Snag-Free Stainless Steel Drum • High Air Volume, Low Heat Drying Philosophy Protects Fibers from Heat Damage	• **SYNCHRO**TECHNOLOGY Coordinates Dryer Cycle Time with Washer Cycle Time – Preventing Wet Clothes From Waiting in Washer • 3 Asymmetric Paddles for 3-Dimensional Tumbling of Clothes for Faster, Gentler Drying

Nexxt® **Dryer** Specifications

Nexxt 800 Series (WTMC8321US model shown)

Model Number	800 Series WTMC832xUS/CN WTMC852xUC (Gas)	500 Plus Series WTMC532xUS/CN WTMC552xUC (Gas)	500 Series WTMC332xUS/CN WTMC352xUC (Gas)
Core Features			
Color Options	SW/W	C*/W/S	W/S
Capacity (IEC)	6.7 cu.ft.	6.7 cu.ft.	6.7 cu.ft.
Silence Rating			
dBA	64 dBA	67 dBA	67 dBA
Design Elements			
Dial	Chrome	Chrome	White/Silver
Door Handle Strip	Chrome	Chrome	White/Silver
Button Color	Chrome	Chrome	White/Silver
Door Style	See-Through	See-Through	See-Through
Bull's Eye Ring	Chrome (Outer Ring)	Chrome (Outer Ring)	Gray (Inner Ring)
Reversible Door Hinged on Right	•	•	•
Venting (Back, Bottom, & Right)	•	•	•
Display	LCD	LED	LED
Features			
ECOSENSOR™	•	•	
Stainless Steel Drum	•	•	•
WRINKLEBLOCK®	3 hr	1 hr	1 hr
Drying Rack	Included	Included	Optional
Cycles			
Regular Cotton – Extra Dry, Very Dry, Regular Dry, Damp Dry	•	•	•
Permanent Press – Very Dry, Regular Dry, Damp Dry	•	•	•
Mix – Very Dry, Regular Dry	•		
Timed Dry	Up to 2 hr in 10 min Increments	20, 40, 60 min	20, 40, 60 min
Air Fluff/No Heat	•	•	•
Heavy Load	•		
Wool Care	•		
Short	•		
Optional Settings			
Delicates/Low Temp.	•	•	•
Signal	•	•	•
Extended **WRINKLE**BLOCK®	•		
Child Lock-Out Function	•		
Technical Data			
Supply Voltage	240 V (E)/120 V (G)	240 V (E)/120 V (G)	240 V (E)/120 V (G)
Frequency	60 Hz	60 Hz	60 Hz
Amperage	15 A	15 A	15 A
UL Listed	•	•	•
BTU	18,500 BTU	18,500 BTU	18,500 BTU
CFM	176 CFM	176 CFM	176 CFM

Color Key:
The "x" in the model number indicates the color variant. Please use this color key:

800 Series
1 = Silver/White Duo-Tone (SW)
0 = White (W)

500 Plus and 500 Series
C = Champagne/White Duo-Tone (C)*
1 = White (W)
S = Silver (S)

300 and 100 Series
1 = White (W)

* Available January 2008.

Nexxt 800 Series with 15" Pedestals (WTZ1500P)

Nexxt 500 Plus Series with 15" Pedestals (WTZ1500C)*

Nexxt 500 Plus Series with 8" Pedestals (WTZ1295)

Nexxt 500 Series with 8" Pedestals (WTZ1295S)

Accessories	Model Number
8" Pedestal White	WTZ1295
8" Pedestal Silver	WTZ1295S
8" Pedestal Silver/White Duo-Tone	WTZ1295P
15" Pedestal White	WTZ1500
15" Pedestal Silver	WTZ1500S
15" Pedestal Silver/White Duo-Tone	WTZ1500P
15" Pedestal Champagne/White Duo-Tone*	WTZ1500C

Washers and Dryers are UL approved. Ne**xx**t Laundry Systems warranty information: BSH warrants that its laundry products are free from defects in materials and workmanship for a period of 1 year for labor, 2 years for parts, 2 years on stainless steel drum and all electronic components including motor (parts only). Certain limitations apply. See manufacturer's limited warranty for details. Warranty only applies to manufacturer's defective merchandise, and does not cover third-party damages to the product, including, without limitation, damages incurred in shipping, installation, servicing, or through consumer abuse or negligence. This warranty is the sole and exclusive remedy for any defective product. Manufacturer's only obligation is to repair defective product or parts thereof; manufacturer has no obligation to replace product that is capable of being repaired.

Axxis® Laundry Systems

Get **more** done with less.

Bosch laundry sets are efficient in more than just their use of energy and water. They also take space-efficiency to a higher level. A**xx**is stackable laundry pairs have an exceptionally small footprint, saving you valuable floor space. Plus, since A**xx**is Condensation Clothes Dryer does not require external ducting, you are freed from the higher installation costs of traditional units, and have greater flexibility in where to place the laundry pair within your home. And like all Bosch laundry machines, you can expect expert cleaning that always impresses.

Models shown: A**xx**is® Washer (WFR2460) and A**xx**is Dryer (WTE86300)



Horizontal Axxis Wash System

Our exclusive horizontal A**xx**is wash system gets clothes unbelievably clean. With double the spin speed of conventional washers, clothes emerge needing less drying time, sparing them from the damage of excessive heat or overdrying. Combined with its remarkable water efficiency, the A**xx**is adds up to hundreds of dollars in savings per year.

Logixx™

While highly sophisticated, Bosch washing machines are also extremely easy to use, thanks to Logi**xx** controls, an innovative system that controls every part of the cycle, including the precise water levels, temperature, tumble action, time and speed, soak time, drum-reversing rhythms, spin speed and rinses.

Condensation Dryer — No Ducting Required

The A**xx**is Condensation Clothes Dryer condenses the moisture in the hot air to water and releases it through the water drain. No ducting and no blower is necessary to help expel hot air. This makes installation easy, fast and very cost effective. Its stackable design also allows this dryer to be installed virtually anywhere.

Pull-Out Tray

Bosch's A**xx**is dryers raise the bar on convenience. Available in the stacking kit, the pull-out tray gives you an easy place to situate a laundry basket and use it as a folding table for your warm, freshly dried clothes.

Axxis® **Washer** Specifications

Axxis Washer



Efficiency

- Horizontal **Axx**is Wash System
- **SENSO**TRONIC Plus
- High-Efficiency Tumble Action Wash System
- ENERGY STAR® Qualified
- Detergent Efficiency System
- Logi**xx** Control

Quiet Performance

- 56 dBA Silence Rating

Gentle Care

- Snag-Free Stainless Steel Horizontal Drum
- 5 Wash/Rinse Temperature

Model Number	**Axxis Washer** WFL2060UC	**Axxis Washer** WFL2090UC
Core Features		
Color Options	W	W
Drum Capacity (IEC)	2.1 cu.ft.	2.1 cu.ft.
Spin Speed	Up to 1,000 rpm	Up to 1,000 rpm
Silence Rating		
dBA	56 dBA	56 dBA
Water & Energy Efficiency		
Energy Usage	145 kWh	121 kWh
Annual Water Usage	4,755 gal	4,755 gal
ENERGY STAR® Qualified	•	•
Wash Programs		
Regular/Cotton Cold, Warm, Hot, Temp Boost, Power Temp Boost	•	•
Perm Press Cold, Warm, Hot	•	•
Delicates Warm, Cold	•	•
Handwashables Warm, Cold	•	•
Wash/Rinse Temperatures	5	5
Wash Options		
Display	LED	LED
Quick Wash	•	•
Rinse Plus	•	•
Power Wash	•	•
Advanced Features		
Internal Water Heater for Guaranteed Temperatures	•	•
Door Opening	11 7/8"	11 7/8"
High Efficiency Tumble Action Wash System	•	•
Stainless Steel Drum	•	•
Detergent Efficiency System with 3 Dispenser Chamber	•	•
SENSOTRONIC® Plus (Dynamic Load Sensor, Digital Temperature Sensor, Suds Sensor, Unbalance Sensor)	•	•
Technical Data		
Supply Voltage	220/240 V	120 V
Frequency	60 Hz	60 Hz
Amperage	15 A	15 A
Heating	1,350 W	1,800 W
UL Listed	•	•

W – White

LEARN MORE AT energystar.gov

Washers and Dryers are UL approved. A**xx**is Laundry Systems warranty information: 1 year parts and labor; 2 years parts; 5 years on all electronic components (parts only); 5 years on motor/pump (parts only); 5 years against rust-through of cabinet (parts only); lifetime warranty against rust-through on stainless steel drums. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Axxis® **Dryer** Specifications

Axxis Dryer (condensation)

Efficiency	Quiet Performance	Gentle Care
• Condensation Drying System • Electronic Moisture Sensor Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 67 dBA Silence Rating	• Snag-Free Structured Stainless Steel Drum • Reverse Tumble Action • Low Heat Option • Easy Ironing Option

Axxis Dryer

Efficiency	Quiet Performance	Gentle Care
• Electronic Moisture Sensor Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 67 dBA Silence Rating	• Snag-Free Structured Stainless Steel Drum • Reverse Tumble Action • Low Heat Option • Easy Ironing Option

Model Number	Axxis® **Dryer (condensation)** WTE86300US	Axxis **Dryer** WTV76100US/CN
Core Features		
Color Options	W	W
Drum Capacity	3.95 cu.ft.	3.9 cu.ft.
Silence Rating		
dBA	67 dBA	67 dBA
Cycles		
Timed Drying (40 min)	•	•
Wool	•	
Touch Up	•	•
Short Program	•	
DUOTRONIC® Auto Dry Cycles – Regular/Cotton	4	4
DUOTRONIC Auto Dry Cycles – Permanent Press	3	3
Optional Settings		
Delicates/Low Heat	•	•
Easy Ironing	•	
Adjustable End-of-Cycle Signal	•	
Time Remaining Display	•	
Anticrease Feature (For 35 min After Cycle)	•	
WRINKLEBLOCK® (Up to 1 hr)	•	•
Delayed Start	Up to 19 hr with 1 hr Increments	
Lint Filter LED Indicator	•	•
Advanced Features		
Dry Sensor Control	Fully Electronic Moisture Sensor	Fully Electronic Moisture Sensor
Gentle Heat System	Temperature Sensors	Temperature Sensors
Stainless Steel Drum	•	•
Structured Drum	•	•
Touch Control	•	•
Accessories (Purchased Separately)		
Vertical Stacking Kit with Pull-Out-Tray	WTZ11300UC	WTZ11300UC
Vertical Stacking Kit without Pull-Out-Tray (4 Brackets and Screws)	WTZ11310UC	WTZ11310UC
Technical Data		
Supply Voltage	208-240 V	208-240 V
Frequency	60 Hz	60 Hz
Amperage	13 A	13 A
UL Listed	•	•
CFM	96 CFM	110 CFM

W – White

Washers and Dryers are UL approved. A**xx**is Laundry Systems warranty information: 1 year parts and labor; 2 years parts; 5 years on all electronic components (parts only); 5 years on motor/pump (parts only); 5 years against rust-through of cabinet (parts only); lifetime warranty against rust-through on stainless steel drums. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Sometimes the **little** things make all the difference.

Bosch small appliances are now for sale online at **www.boschappliances.com**

There are certain things that can make an ordinary day seem special. Homemade ravioli, a steaming cup of espresso, even a freshly vacuumed room. At Bosch, our small appliances are engineered with innovative features and superior design to make these tasks as effortless as possible. And now they're effortless to buy as well. Just visit www.boschappliances.com, where you can now purchase our entire line of small appliances online and have them delivered to your home without ever having to leave the comfort of your chair.

Kitchen Machines

Compact Kitchen Machine
With a quiet motor that delivers 400 Watts of power, our 4-series Compact Kitchen Machine is the perfect prep solution for the busy kitchen. It features a 4-quart mixing bowl, a break-resistant blender and a multitude of accessories to address virtually every preparation need you could imagine.

Universal Plus Kitchen Machine
Our newest generation of kitchen machines offers added power, improved safety features, and updated styling. The 800 Watt motor provides four speeds plus impulse, and all of the machine's components and accessories are dishwasher safe for easy cleaning. Get better cooking results with less effort than ever before.

MIXXO™ Cordless Immersion Blender
With its exclusive lithium ion battery, the lightweight Bosch MIXXO immersion blender is a convenient and easy-to-use addition to your kitchen. Perfect for use at home or on-the-go, its 10,500-rpm motor is powerful enough to crush ice, while the handy LED indicator lets you know how much charge is remaining.

Coffee Machines

Benvenuto® Gourmet Coffee Machines
With just the push of a button, the fully automatic Benvenuto grinds the beans while the revolutionary **AROMA**SWIRL® system extracts the maximum flavor for espresso or coffee you've only tasted from professional baristas in Italian cafés.

Barino® Espresso Pump Machine
Enjoying a sumptuous espresso each morning has never been easier than with the compact, stylish Barino Espresso Pump Machine. This deluxe personal espresso maker features a powerful pump and pressurized coffee filter baskets to take your home espresso experience to a whole new level.

Coffee Grinders
Nothing can match the flavor and aroma of fresh-ground coffee in the morning, and the Stainless Steel blades effortlessly grind your favorite beans to any coarseness you desire. It's also perfect for chopping nuts, milling seeds or grinding fresh spices without losing flavor.

Vacuums

Premium Vacuum
Finally, a vacuum designed for the way people vacuum. Bosch engineers worked for three years, designing and testing each element of the Premium Series vacuums, to not only improve cleaning effectiveness, but also making vacuuming easier, faster and more comfortable. From its cutting-edge filtration to its fingertip controls, the Premium Series is the pinnacle of modern-day vacuum engineering.

Formula® Vacuum
This vacuum filters the air so thoroughly, the air is cleaner when it leaves than when it enters. And it features a variable-speed motor to tackle everything from hardwoods to curtains effortlessly. So not only does it help keep your home spotless, it makes the air fresher and healthier in the process.

Compact Plus Health Guard Vacuum
This multi-speed vacuum with neatly integrated tools can clean a wide variety of surfaces, from silk curtains to hardwood floors. Its compact, lightweight and sturdy design allows for easy storage and maneuverability. The large, self-sealing dust bag means fewer bag changes for you, and an exceptional HEPA active filtration system leaves your home cleaner and healthier.

Dishwashers
Dimensions and Installation

SHX/SHV/SHE Models



SRV Models



SGV Models



†Maximum height of 36" possible with toe-kick from cabinet supplier.

Cabinet Opening Dimensions

SHX/SHV/SHE – 24" TallTub Dishwashers:
Width: 24" to 24-1/4" (23-5/8" with décor strips removed)
Height: 34" to 35" (36" with Custom Toe-Kick *Always use included metal toe-kick behind custom toe-kick)
Depth: 24"
Upper Clearance: Leave 1/8" to 1/4" of space between the countertop and the dishwasher

SRV – 18" EuroTub Dishwashers:
Width: 17-11/16"
Height: 32" to 34-1/2"
Depth: 24"
Upper Clearance: Leave 1/8" to 1/4" of space between the countertop and the dishwasher

SGV – 24" EuroTub Dishwashers:
Width: 24" to 24-1/4"
Height: 32" to 34-1/2"
Depth: 24"
Upper Clearance: Leave 1/8" to 1/4" of space between the countertop and the dishwasher

Custom Panel Dimensions

SHV – 24" TallTub Dishwashers:
Recommended Width: 23-3/8"
Minimum Door Height: 27-1/4"
Maximum Door Height: 30-7/16"
Toe-kick Height Range: 4" to 7"
Panel Thickness: 3/4"
Panel Weight: Min. 9 lbs to Max. 18 lbs

SRV – 18" EuroTub Dishwashers:
Recommended Width: 17-1/2"
Recommended Door Height: 28-5/16"
Panel Thickness: 3/4"
Panel Weight: Min. 5-1/2 to Max. 16-1/2 lbs

SGV – 24" EuroTub Dishwashers:
Recommended Width: 23-3/8"
Recommended Door Height: 28-5/16"
Panel Thickness: 3/4"
Panel Weight: Min. 9 lbs to Max. 18 lbs

IMPORTANT
SHX/SHE models do not accept custom panels
SHV/SRV/SGV models are not supplied with handles
SRV models require SGZ3022 Accessory Hinge for custom panel installation at U.S. countertop height.
Dimensions are for planning only.
For details, see installation manual, or visit www.boschappliances.com.
Specifications to change without notice.

Ovens
Dimensions and Installation

HBL/HBN Models

Installation	30" Combination	30" Double	30" Single	27" Double	27" Single
A	50"	51 3/4"	29 1/16"	51 3/4"	29 1/16"
B	29 3/4"	29 3/4"	29 3/4"	26 3/4"	26 3/4"
C	23 7/8"	23 7/8"	23 7/8"	23 7/8"	23 7/8"
D	22"	22"	22"	22"	22"
Door Handle Projection	3"	3"	3"	3"	3"
E	49 1/2"	51 1/8"	28 1/4"	51 1/8"	28 1/4"
F	28 1/2"	28 1/2"	28 1/2"	25 1/2"	25 1/2"
G	24"	24"	24"	24"	24"
H	4 3/4" minimum	4 3/4" minimum	4 3/4" minimum	4 3/4" minimum	4 3/4" minimum
K	n/a	n/a	3"	n/a	3"







Warming Drawers
Dimensions and Installation

HWD Models

Installation	30"	27"
A	11 1/4"	11 1/4"
B	29 3/4"	26 3/4"
C	22 1/4"	22 1/4"
D	20 1/2"	20 1/2"
E	10 7/8"	10 7/8"
F	28 3/8"	25 3/8"
G	24"	24"
M	1/2" minimum	1/2" minimum



Microwaves
Dimensions and Installation

HMB Models

Installation	HMB80x0	HMB50x0
A	14 13/16"	14"
B	23 7/8"	23 7/8"
C	19 5/16"	19 7/16"
D	20 1/2"	20 1/2"
E for 27" Trim Kit	26 3/4"	26 3/4"
E for 30" Trim Kit	29 3/4"	29 3/4"
F	1 1/2"	1 1/2"
G	19 7/8"	19 7/8"
H for 27" Trim Kit	25 7/16"	25 7/16"
H for 30" Trim Kit	28 7/16"	28 7/16"
K	21"	21"



Induction Cooktops
Dimensions and Installation

NIT Models – 36"



NIT Models – 30"



Gas and Electric Cooktops
Dimensions and Installation

PGL/PCK Models – Gas

Installation	PGL 36"	PCK 30"
A	36"	30"
B	20 1/2"	20 1/2"
C	2 3/8"	2 1/4"
D	33 1/2"	22"
E	19 3/8"	19 3/8"
F	2 3/8"	2 1/4"
G	2"	2"
H	1 1/2"	1 1/2"
Overall Width	36"	30"

NGT/NGP Models – Gas

Installation	36"	30"
A	36"	30"
B	21"	21"
C	4"	4"
D	34 5/8" – 35 3/8"	28 5/8" – 29 3/8"
E	19 1/8" – 19 7/8"	19 1/8" – 19 7/8"
F	4 3/4"	4 3/4"
G	1 3/4"	1 3/4"
H	2 1/4"	2 1/4"
Overall Width	37"	31"

NET/NEM Models – Electric

Installation	36"	30"
A	36 3/4"	30 3/4"
B	21"	21"
C	3 1/2"	3 1/2"
D	34 3/4" – 34 7/8"	28 3/4" – 28 7/8"
E	19 7/8" – 20"	19 7/8" – 20"
F	3 1/2"	3 1/2"
G	2"	2"
H	2 1/2"	2 1/2"

PGL/PCK



NGT/NGP



NET/NEM



Ventilation
Dimensions and Installation

DUH Models



DPH Models



Ventilation
Dimensions and Installation

DKE Models – 36"





DKE Models – 30"







Ventilation
Dimensions and Installation

DHD Models – 36"



DHD Models – 30"



DHD Separate Blower Required



DIE165RUC Model



DHL755BUC Model



Ranges
Dimensions and Installation

HES Models – Evolution™ Electric



HGS/HDS Models – Evolution Gas & Dual-Fuel





HEI Models – Integra™ Electric



HDI Models – Integra Dual-Fuel



Over-the-Range Microwaves
Dimensions and Installation

HMV Models



Installation	HMV
Overall Width	29 15/16"
Overall Height	16 7/16"
Overall Depth	15 5/8"

Integra® Refrigeration – Freezers with Dispensers
Dimensions and Installation

B18ID80NLP/B18ID80SLS Models –
18" Freezer with Dispenser (Left door swing)





Note: The cutout for the dispenser unit must be horizontally and vertically aligned (centered).

B18ID80NRP/B18ID80SRS Models –
18" Freezer with Dispenser (Right door swing)





Note: The cutout for the dispenser unit must be horizontally and vertically aligned (centered).

B24ID80NLP/B24ID80SLS Models –
24" Freezer with Dispenser (Left door swing)





Note: The cutout for the dispenser unit must be horizontally and vertically aligned (centered).

B24ID80NRP/B24ID80SRS Models –
24" Freezer with Dispenser (Right door swing)





Note: The cutout for the dispenser unit must be horizontally and vertically aligned (centered).

A: Area for installation of power connection.

B: Area for running the water line. It is recommended that the water-box is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed water-box adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

D: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Panel dimensions based on a standard 1/8 inch reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick.

Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

**Required space for finger guard.
Measurements in inches.

A: Area for installation of power connection.

B: Area for running the water line. It is recommended that the water-box is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed water-box adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

D: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Panel dimensions based on a standard 1/8 inch reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick.

Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

**Required space for finger guard.
Measurements in inches.

**B18IF70NSP/B18IF70SRS/B18IF70SLS Models –
18" Freezer (Right or Left door swing)**



**B24IF70NSP/B24IF70SRS/B24IF70SLS Models –
24" Freezer (Right or Left door swing)**



**B30IF70NSP/B30IF70SRS/B30IF70SLS Models –
30" Freezer (Right or Left door swing)**



A: Area for installation of power connection.

B: Area for running the water line. It is recommended that the water-box is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed water-box adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

D: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Panel dimensions based on a standard 1/8 inch reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick.

Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

**Required space for finger guard.
Measurements in inches.

A: Area for installation of power connection.

B: Area for running the water line. It is recommended that the water-box is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed water-box adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

D: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Panel dimensions based on a standard 1/8 inch reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick.

Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

**Required space for finger guard.
Measurements in inches.

Integra® Refrigeration – Refrigerators and Wine Coolers
Dimensions and Installation

B24IR70NSP/B24IR70SRS/B24IR70SLS Models –
24" Refrigerator (Right or Left door swing)



B30IR70NSP/B30IR70SRS/B30IR70SLS Models –
30" Refrigerator (Right or Left door swing)



B18IW50NSP/B18IW50SRS/B18IW50SLS Models –
18" Wine Cooler (Right or Left door swing)



1)variable between 2 1/2 and 3 1/4

Note: The width of the two lateral flanges of the frame-like door panel for wine coolers can vary between 2 1/2 and 3 1/4. However 2 15/16 is recommended.

B24IW50NSP/B24IW50SRS/B24IW50SLS Models –
24" Wine Cooler (Right or Left door swing)



1)variable between 2 1/2 and 3 1/4

Note: The width of the two lateral flanges of the frame-like door panel for wine coolers can vary between 2 1/2 and 3 1/4. However 2 15/16 is recommended.

A: Area for installation of power connection.

D: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Panel dimensions based on a standard 1/8 inch reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick.

Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

**Required space for finger guard.
Measurements in inches.

A: Area for installation of power connection.

D: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Panel dimensions based on a standard 1/8 inch reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick.

Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

**Required space for finger guard.
Measurements in inches.

Integra® Refrigeration – Bottom-Freezers
Dimensions and Installation

B36IT70NNP/B36IT70SNS Models –
36" 3-Door Bottom-Freezer





*Depends on the thickness of the furniture door. 3/4 is relevant for the stainless steel door. (special Accessory).





A: Area for installation of power connection.

B: Area for running the water line. It is recommended that the water-box is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed water-box adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

D: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Panel dimensions based on a standard 1/8 inch reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick.

Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

**Required space for finger guard.
Measurements in inches.

B36IB70NSP/B36IB70SRS/B36IB70SLS Models –
36" 2-Door Bottom-Freezer





*Depends on the thickness of the furniture door. 3/4 is relevant for the stainless steel door. (special Accessory).





A: Area for installation of power connection.

B: Area for running the water line. It is recommended that the water-box is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed water-box adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

D: Niche depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Panel dimensions based on a standard 1/8 inch reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick.

Stainless Steel models contain a panel-ready base unit, ready-to-install Stainless Steel door(s) with a right or left door swing and handle(s).

**Required space for finger guard.
Measurements in inches.

Evolution® Refrigeration
Dimensions and Installation

B20CS80SNx/B20CS50SNx Models



Dimensions Cabinets	**B20CS80SNx**	**B20CS50SNx**
Height	70 1/2"	70 1/2"
Width	35 9/16"	35 9/16"
Depth	23 13/16"	23 13/16"
Dimensions with Doors		
Height	70 1/2"	70 1/2"
Width	35 9/16	35 9/16"
Depth	26 9/16"	26 9/16"
Dimensions with Doors and Handles		
Height	70 1/2"	70 1/2"
Width	35 9/16"	35 9/16"
Depth	28 15/16"	28 15/16"



Laundry
Dimensions and Installation

WFMC – Nexxt® Washers



WTMC – Nexxt Dryers



WTZ1295 – 8" Pedestals



WTZ1500 – 15" Pedestals



WFL – Axxis® Washers



Dimensions for WFL2090UC and WFL2060UC Washers

For planning only. For details, see Installation Manual. Specifications subject to change without notice. UL and CUL listed.
Stacked installation height approx. 67 4/16."

WTE/WTV Axxis Dryers





Dimensions for WTE86300US (condensation dryer – no ducting required) and WTV76100US

For planning only. For details, see Installation Manual. Specifications subject to change without notice. UL and CUL listed.
Stacked installation height approx. 67 4/16" (with WTZ1180 stacking kit: approx. 68 13/16").
Depth including door is 25 13/16."

Bosch home appliances
5551 McFadden Avenue
Huntington Beach, CA 92649
1.800.944.2904
www.boschappliances.com

Bosch home appliances Canada
5800 Explorer Drive, Suite 310
Mississauga, Ontario, L4W 5K9
1.775.833.3600
www.bosch-appliances.ca

BOSCH
Invented for life

©2007 BSH Home Appliances Corporation. ©2007 BSH Home Appliances Ltd. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

All information presented herein is based on data available at the time of printing and is subject to change without notice.

For immediate installation dimensions by fax, use your handset and call 1.775.833.3600. Use Code #8317 for a directory of Bosch products.

Dealer Locator: 1.800.866.2022

SAP#2800001471

BSH#6307-0216 Litho Date: 10/07 MG

07BOS095/6307-0216

FSC Mixed Sources
Product group from well-managed forests and other controlled sources
www.fsc.org Cert no. SCS-COC-001083
© 1996 Forest Stewardship Council